

Certificate of constancy of the performance of the product**0679-CPR-0753**

(English translation, the original version is in French)

In compliance with the Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction product and repealing Council Directive 89/106/EEC, it has been stated that the construction product indicated in the following page, placed on the European economic area market by:

**TATA STEEL France BATIMENTS ET SYSTEMES
(MONOPANEL)**

7, rue Geo Lufbery
02301 Chauny Cedex
France

and produced in the factory:

TATA STEEL France BATIMENTS ET SYSTEMES

7, rue Geo Lufbery
02301 Chauny Cedex
France

Is submitted by the manufacturer to a factory production control and to the further testing of samples taken of the factory in accordance with a prescribed test plan, and that the notified body - CSTB - has performed the assessment of the performance of the construction product, the initial inspection of the manufacturing plant and of the factory production control and performs the continuing surveillance, assessment and evaluation of the factory production control (system 1).

This certificate attests to the products performances, relative to the essential characteristic chosen by the manufacturer, and that all provisions concerning the assessment and verification of constancy of this performance described in the harmonised reference technical specification:

EN 14509: 2013

are applied and that the product fulfills all the prescribed requirements.

This certificate can only be used in conjunction with the declaration of performance of the product written by the manufacturer or his authorised representative established in the European economic area and with the technical specification in reference.

This certificate is issued on 04 July 2018, it replaces the certificate previously delivered on 01 April 2014 and, except for withdrawal or suspension, remains valid as long as the conditions laid down in the corresponding technical specification in reference or the manufacturing conditions in the factory or the factory production control itself are not modified significantly.

This certificate comprises 2 pages.

The list of certificates issued by CSTB is kept up-to-date by the CSTB.

Issued in Champs sur Marne, on 04 July 2018.

For CSTB
On behalf of the Technical Director



Yannick LEMOIGNE

Self-supporting double skin metal face insulating panels with polyurethane core insulation

GLAMET E

Performance of the construction product:

Products fire reaction characteristic: B – s3, d0

Use category:

Roofs