

Certificat

Profils plaxés

Baies, portes, vérandas et accessoires

Le CSTB atteste que les produits mentionnés dans ce certificat sont conformes aux caractéristiques décrites dans le référentiel de certification QB « Profils PVC Revêtus » (QB33) en vigueur après évaluation selon les modalités de contrôle définies dans ce référentiel.

En vertu de la présente décision, le CSTB accorde à :

la société **PROFINE GmbH**
Mülheimer Strasse 26
DE-53840 TROISDORF

usine : **PROFINE GmbH**
Zweibrücker Strasse 200
DE-66954 PIRMASENS

le droit d'usage de la marque QB « Profils PVC Revêtus » pour les produits objets de cette décision, pour toute sa durée de validité et dans les conditions prévues par les exigences générales de la marque QB et le référentiel mentionné ci-dessus.



619A

Décision d'extension n° 1047-619A du 29 août 2019

Cette décision se substitue à la décision d'admission n° 1044-619A du 18 juillet 2019

Le certificat en vigueur peut être consulté sur le site internet <http://evaluation.cstb.fr> pour en vérifier sa validité.

CARACTÉRISTIQUES CERTIFIÉES

- > Résistance au vieillissement
- > Tenue des couleurs
- > Résistance à l'usage

Ce certificat comporte 4 pages.

Correspondant :

Direction Baies et Vitrages
QB33@cstb.fr

Pour le CSTB
Pour le Président



Edwige PARISEL

Certificate

Laminated profiles

Windows, doors, verandas and accessories

CSTB hereby certifies that the above-mentioned product complies with the characteristics described in the certification referencial QB "Covered PVC Profiles" (QB33) in force following an assessment performed according to the inspection procedures set out in this referencial.

By virtue of the present decision, CSTB grants :

the company **PROFINE GmbH**
Mülheimer Strasse 26
DE-53840 TROISDORF

plant : **PROFINE GmbH**
Zweibrücker Strasse 200
DE-66954 PIRMASENS

the right to use the QB mark "Covered PVC Profiles" for products concerned by this decision, throughout its period of validity and under the conditions stipulated under the general requirements of the QB mark and the above-mentioned referencial.



619A

Decision of extension no. 1047-619A of 29 August 2019

This decision takes the place of the decision of admission no. 1044-619A of 18 July 2019

The certificate validity may be checked on the web site <http://evaluation.cstb.fr>.

CERTIFIED CHARACTERISTICS

- > Weathering resistance
- > Color retaining
- > Usage resistance

This certificate includes 4 pages.

Contact :

Windows and Glazing Department
QB33@cstb.fr

For CSTB
On behalf of the President



Edwige PARISEL

Décision d'extension n° 1047-619A du 29 août 2019
Decision of extension no. 1047-619A dated 29 August 2019**DOCUMENTS TECHNIQUES D'APPLICATION (fenêtres)**
APPLICATION TECHNICAL DOCUMENTS (windows)

Premiline (6/12-2045)
Trocal 76Adv., KBE 76Adv., Kömmerling 76Adv.
(6/16-2334)
Trocal Exclusive, KBE Emotion, Kömmerling Evolution
(6/16-2335)

CODES DES SYSTEMES ADHESIFS / ADHESIVES CODES

16206-16104 ; 17215-16105 ; 18225-18119 ;
18225-18120 ; 18226-18121 ; 16210-18122* ;
17215-18122* ; 16206-18123*

*seulement TP50 et Exofol PX

CODES DES MATIERES SUPPORTS / MATERIAL CODES

191, 251, 300, 301, 343, 381, 382, 383, 394, 9px, 10px,
58px, 59px

PRODUITS DE RECOUVREMENT
COVERING PRODUCTS

KONRAD HORNSCHUCH WEISSBACH
(code usine / plant code QB33 : 605P)

SKAI COOL COLORS TECHPROFIL 50 (TP50)

F436-1002 ; F436-1004 ; F436-1005 ; F436-1006 ; F436-4003 ;
F436-6003A ; F436-6010 ; F436-6039 ; F436-6047 ; F436-6048

RENOLIT WORMS (code usine / plant code QB33 : 600P)

EXOFOL PX

02.20.01.000002-504700 ; 02.20.11.000001-116700 ;
02.20.31.000002-116700 ; 02.20.31.000003 ;
02.20.51.000001 ; 02.20.51.000002-116700 ; 02.20.61.000001-
116700 ; 02.20.61.000002 ; 02.20.71.000001-116700 ;
02.20.71.000001-808300 ; 02.20.71.000007-116700 ;
02.20.81.000010-116700 ; 02.20.81.000018 ; 02.20.91.000001-
116801 ; 9.2065 321-116700 ; 9.2178 301-116700 ; 9.2178 307-
116700 ; 9.3211 305-114800 ; 9.3241 302

RENOLIT CRAMLINGTON

(code usine / plant code QB33 : 609P)

EXOFOL PX

02.20.01.000002-504700 ; 02.20.11.000001-116700 ;
02.20.71.000001-808300 ; 4.0131 006

Décision d'extension n° 1047-619A du 29 août 2019
Decision of extension no. 1047-619A dated 29 August 2019

AVIS TECHNIQUES (coffres de volet roulant)
TECHNICAL NOTICES (roller shutter box)

VariNova (6/16-2286)

CODES DES SYSTEMES ADHESIFS / ADHESIVES CODES16206-16104 ; 17215-16105 ; 18225-18119 ;
18225-18120 ; 18226-18121 ; 16210-18122* ;
17215-18122* ; 16206-18123*

*seulement TP50 et Exofol PX

CODES DES MATIERES SUPPORTS / MATERIAL CODES191, 251, 300, 301, 343, 381, 382, 383, 394, 9px, 10px,
58px, 59px**PRODUITS DE RECOUVREMENT**
COVERING PRODUCTS**KONRAD HORNSCHUCH WEISSBACH**
(code usine / plant code QB33 : 605P)**SKAI COOL COLORS TECHPROFIL 50 (TP50)**F436-1002 ; F436-1004 ; F436-1005 ; F436-1006 ; F436-4003 ;
F436-6003A ; F436-6010 ; F436-6039 ; F436-6047 ; F436-6048**RENOLIT WORMS (code usine / plant code QB33 : 600P)****EXOFOL PX**02.20.01.000002-504700 ; 02.20.11.000001-116700 ;
02.20.31.000002-116700 ; 02.20.31.000003 ;
02.20.51.000001 ; 02.20.51.000002-116700 ; 02.20.61.000001-
116700 ; 02.20.61.000002 ; 02.20.71.000001-116700 ;
02.20.71.000001-808300 ; 02.20.71.000007-116700 ;
02.20.81.000010-116700 ; 02.20.81.000018 ; 02.20.91.000001-
116801 ; 9.2065 321-116700 ; 9.2178 301-116700 ; 9.2178 307-
116700 ; 9.3211 305-114800 ; 9.3241 302**RENOLIT CRAMLINGTON**

(code usine / plant code QB33 : 609P)

EXOFOL PX02.20.01.000002-504700 ; 02.20.11.000001-116700 ;
02.20.71.000001-808300 ; 4.0131 006