

Certificate

SANITARY APPLIANCES

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company **ECZACIBASI YAPI GERECLERI A.S.**

BUYUKDERE CAD. No. 185

TR-34394 LEVENT-ISTANBUL

Brand : -

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Renewal Decision ECZS dated 15/07/2020

This decision takes the place of any previous decision.

Except in case of withdrawal, suspension or modification, this certificate is valid for 15 months.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

This certificate comprises 3 pages.

Correspondent :

Martine TRUFFERT

Phone : (33) 01 64 68 82 84

Email : martine.truffert@cstb.fr

For CSTB
On behalf of the President



Edwige PARISEL

Appendix to the Certificate

Renewal Decision ECZS dated 15/07/2020

Vitreous enamelled shower trays

These products have the minimum characteristics defined in the standard: NF EN 14527; NF EN 251; NF D11-124; NF D14-601 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Shape	Type	Width (mm)	Length (mm)	Option Slipperiness
ARKITEKT	5714LXXXM1088	Square	To be installed	800	800	
ARKITEKT	5715LXXXM1088	Rectangular	To be installed	700	900	
ARKITEKT	5716LXXXM1088	Square	To be installed	900	900	
ARKITEKT	5717LXXXM0188	Rectangular	To be installed	800	1000	
ARKITEKT	5718LXXXM1088	Rectangular	To be installed	800	1200	
ARKITEKT	5719LXXXM1088	Quarter-round	To be installed	900	900	
ARKITEKT	5809LXXXM1274	Rectangular	To be installed	800	1200	
ARKITEKT	5805LXXXM1274	Square	To be installed	800	800	
ARKITEKT	5808LXXXM1274	Rectangular	To be installed	800	1000	
ARKITEKT	5806LXXX1274	Square	To be installed	900	900	
ARKITEKT	5807LXXX1274	Quarter-round	To be installed	900	900	

Sanitary ceramic WC pans using less than 7 litres

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D 12-101 and into the technical(s) document(s) : DT017-12

Range	Commercial reference	Model	Material	Cistern reference	Outlet	Wall-hung	Type
S50	7740	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
S50	5745	Pedestal, close-coupled cistern,	Vitreous china	5422xxxx5553 / 5422xxxx5033	Horizontale		6

Appendix to the Certificate

Renewal Decision ECZS dated 15/07/2020

Range	Commercial reference	Model	Material	Cistern reference	Outlet	Wall-hung	Type
		direct flushing					

Equipped flushing cisterns

These products have the minimum characteristics defined in the standard: NF EN 14055; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-14

Range	Commercial reference	Control	Volume (L)	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
NORMUS	4221-xxxx-5031		6	SIAMP OPTIMA 49	SIAMP COMPACT 95L	5820 / 5111	
S50	5422-xxxx-5553		6	SIAMP OPTIMA 49	SIAMP COMPACT 95L	5745	

PACK

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D12-101; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-12; DT017-14; DT017-15

Range	Commercial reference	WC pan reference	Cistern reference	Control	Reference of toilet seat	REF_BATI	Stop valve ref.	Type
CLEANMAX	7740-xxxx-6119	7740			72-xxx-379			6
CLEANMAX	9797-xxxx-7200	5745	5422-xxxx-553		72-xxx-379			6
S10	9836-xxxx-7202	7821	5932-xxx-5533		84-xxx-739			6
S10	9836-xxxx-7203	7821	5932-xxx-5533		84-xxx-739			6