

Certificat

Produits de recouvrement – Laques

Baies, portes, vérandas et accessoires

Le CSTB atteste que les produits mentionnés dans ce certificat sont conformes aux caractéristiques décrites dans le référentiel de certification QB « Profilés PVC Revêtus » (QB33) en vigueur après évaluation selon les modalités de contrôle définies dans ce référentiel.

En vertu de la présente décision, le CSTB accorde à :

la société LECHLER S.P.A.
Via Bianca 29
IT-06037 SANT'ERACLIO DI FOLIGNO (PERUGIA)

usine : LECHLER S.P.A.
IT-06037 SANT'ERACLIO DI FOLIGNO (PERUGIA)

le droit d'usage de la marque QB « Profilés PVC Revêtus » pour les produits objets de cette décision, pour toute sa durée de validité et dans les conditions prévues par les exigences générales de la marque QB et le référentiel mentionné ci-dessus.



Décision d'extension n° 1077-613P du 15 mai 2020
Cette décision se substitue à la décision d'extension n° 1031-613P du 4 avril 2019
Le certificat en vigueur peut être consulté sur le site internet <http://evaluation.cstb.fr> pour en vérifier sa validité.

CARACTÉRISTIQUES CERTIFIÉES

- > Résistance au vieillissement
- > Tenue des couleurs

Ce certificat comporte 3 pages.

Correspondant :
Direction Baies et Vitrages
QB33@cstb.fr

Pour le CSTB
Pour le Président



Edwige PARISEL

Certificate

Covering Products – Lacquers

Windows, doors, verandas and accessories

CSTB hereby certifies that the above-mentioned product complies with the characteristics described in the certification reference system QB "Covered PVC Profiles" (QB33) in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision, CSTB grants :

the company LECHLER S.P.A.
Via Bianca 29
IT-06037 SANT'ERACLIO DI FOLIGNO (PERUGIA)

plant : LECHLER S.P.A.
IT-06037 SANT'ERACLIO DI FOLIGNO (PERUGIA)

the right to use the QB mark "Covered PVC Profiles" for the product covered under this decision, throughout its period of validity and under the conditions stipulated under the general requirements of the QB mark and the above-mentioned reference system.



613P

Decision of extension no. 1077-613P dated 15 May 2020

This decision takes the place of the decision of extension no. 1031-613P dated 4 April 2019

This valid certificate may be watched on the following web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

- > Weathering resistance
- > Color retaining

This certificate comprises 3 pages.

Contact :

Windows and Glazing Department
QB33@cstb.fr

For CSTB
On behalf of the President



Edwige PARISEL

Décision d'extension n° 1077-613P du 15 mai 2020
Decision of extension no. 1077-613P dated 15 May 2020

HYDROFRAME COAT PVC FLEX		
Laque acrylique bi-composant hydrodiluable prête à l'emploi ou à mélanger Acrylic lacquer bi-component waterborne ready to use or for mixing		
Liants / Binders	HYDROFRAME COAT PVC FLEX (LH282)	
Durcisseur / Hardener	HYDROPLAST HARDENER (14016) / HYDRO HARDENER PVC FLEX FAST II (YD350)	
Teintes de base / Basis shades	Group(e) 1 : 100% pigments minéraux – 100% mineral pigments	RAL 1013 beige
	Group(e) 2 : 50% pigments minéraux – 50% pigments organiques 50% mineral pigments – 50% organic pigments	RAL 7016 gris anthracite anthracite grey
	Group(e) 3 : 100% pigments organiques – 100% organic pigments	RAL 3005 rouge / red
	Group(e) 4 : 100% pigments métallisés – 100% metallic pigments	RAL 9006 aluminium
Teintes secondaires / Secondary shades	Group(e) 5 : médium	RAL 7005
	Group(e) 6 : clair / light	RAL 1015
	Group(e) 7 : foncé / dark	RAL 8019
	Group(e) 8 : bleu / blue	RAL 5015
	Group(e) 9 : orange – jaune / orange – yellow	RAL 2010
	Group(e) 10 : rouge – violet / red – purple	RAL 4006
	Group(e) 11 : vert / green	RAL 6017

Restriction d'utilisation des laques selon la zone géographique / Restriction of lacquers using depending of the geographic area :

Utilisation limitée à la France Métropolitaine / Limited using in Metropolitan France