

Certificate

Sanitary components

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system Sanitary components (NF 076), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company **PARTEDIS**
Siège administratif
343 Boulevard Jean Jacques BOSC - BP 149
FR-33038 BORDEAUX CEDEX

Brand : **ANCONETTI**

the right to use the NF mark Sanitary components for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal n° 973-M1-21/1 dated 25/03/2021
This decision replaces decision n° 973-M1-20/2 dated 26/03/2020

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

The products covered by the NF mark Sanitary components have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

This certificate comprises 2 pages.

Correspondent :
Stéphane FATIS
Phone : (33) 01 64 68 88 60
Fax : (33) 01 64 68 84 44
Email : stephane.fatis@castb.fr

For CSTB
On behalf of the President



Edwige PARISEL

Appendix to the Certificate

Decision no. 973-M1-21/1

INLET VALVE

These products have the minimum characteristics defined in the NF EN 14-124 standard and in the technical documents DT076-01 and DT076-02.

CSTB	Reference	DN	Class Acou.	Lap	qm	Type of supply
Gamme: ANCOFLOW						
UNIVERSAL INLET VALVE						
F02a)	6082306	3/8	II	25	0,16	BOTTOM SUPPLY
F01a)	6082370	3/8	I	20	0,14	SIDE SUPPLY
Gamme: ANCOQUIETO						
UNIVERSAL INLET VALVE						
F03b)	7859145	3/8	I	9	0,13	SIDE SUPPLY

FLUSHING MECHANISMS

These products have the minimum characteristics defined in the technical documents DT076-01 and DT076-03.

CSTB	Reference	Type	Cover boring	Flush volume (l)	Residual regulation	hmax	hmin
Gamme: ANCOFLOW							
UNIVERSAL WATER SAVING MECHANISM							
K03	6082312	Push button	18-50	3/6	Yes	448	285
K04	6082499	Push button	18-50	3/6	Yes	480	272

BOTH INLET VALVE + MECHANISM

CSTB	Reference	Type	combinaison	Residual regulation	hmax	hmin
Gamme: ANCOFLOW						
BOTH INLET VALVE + MECHANISM						
G13	60 82335	--	F01e) + K03	No	--	--
G10	6082329	--	F01a) + K03	Yes	--	--