

Certificate

Sanitary components

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system Sanitary components (NF 076), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company **XIAMEN BESTTER PLUMBING Co.Ltd.**
9 - 10 Building, Siming / Tong'an Industrial Cent
CN-361100 XIAMEN

Factory : **CN-361100 Fujian Xiamen**

the right to use the NF mark Sanitary components for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal n° 233-U1-21/4 dated 26/04/2021
This decision replaces decision n° 233-U1-21/2 dated 26/03/2021

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

The products covered by the NF mark Sanitary components have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

This certificate comprises 2 pages.

Correspondent :

Stéphane FATIS

Phone : (33) 01 64 68 88 60

Fax : (33) 01 64 68 84 44

Email : stephane.fatis@cstb.fr

For CSTB
On behalf of the President



Edwige PARISEL

Appendix to the Certificate

Decision no. 233-U1-21/4

INLET VALVE

These products have the minimum characteristics defined in the NF EN 14-124 standard and in the technical documents DT076-01 and DT076-02.

| CSTB | Trademark | Range | Reference | DN | Class Acou. | Lap | qm | Type of supply |
|------------------------------|-----------|-------|-----------|-----|-------------|-----|------|----------------|
| UNIVERSAL INLET VALVE | | | | | | | | |
| FU01 | BESTTER | -- | T6900 | 3/8 | II | 30 | 0,17 | SIDE SUPPLY |
| FU02a) | BESTTER | -- | T6500 | 3/8 | II | 27 | 0,16 | BOTTOM SUPPLY |
| FU02b) | BESTTER | -- | T6501 | 3/8 | II | 27 | 0,16 | BOTTOM SUPPLY |
| FU03 | BESTTER | -- | T6901 | 3/8 | II | 21 | 0,16 | SIDE SUPPLY |

FLUSHING MECHANISMS

These products have the minimum characteristics defined in the technical documents DT076-01 and DT076-03.

| CSTB | Trademark | Range | Reference | Type | Cover boring | Flush volume (l) | Residual regulation | hmax | hmin |
|---|-----------|-------|-----------|-------------|--------------|------------------|---------------------|------|------|
| UNIVERSAL MECHANISM | | | | | | | | | |
| I01 | BESTTER | -- | T8150-1 | Push botton | 52 | 6 | Yes | 142 | 40 |
| UNIVERSAL WATER SAVING MECHANISM | | | | | | | | | |
| K01 | BESTTER | -- | T8320-1 | Push botton | 52 | 3/6 | Yes | 142 | 40 |
| K02 | BESTTER | -- | T8150-2 | Push botton | 52 | 3/6 | Yes | 142 | 40 |
| K03a) | BESTTER | -- | T8106 | Push botton | -- | 3/6 | Yes | 190 | 70 |
| K03b) | BESTTER | -- | T8106-1 | Push botton | -- | 3/6 | Yes | 190 | 70 |