

Certificat

Profils plaxés

Baies, portes, vérandas et accessoires

Le CSTB atteste que les produits mentionnés dans ce certificat sont conformes aux caractéristiques décrites dans le référentiel de certification QB « Profils PVC Revêtus » (QB33) en vigueur après évaluation selon les modalités de contrôle définies dans ce référentiel.

En vertu de la présente décision, le CSTB accorde à :

la société **COPRODEX**
ZI Europort
FR-57500 SAINT AVOLD

usine : **COPRODEX**
FR-57500 SAINT AVOLD

le droit d'usage de la marque QB « Profils PVC Revêtus » pour les produits objets de cette décision, pour toute sa durée de validité et dans les conditions prévues par les exigences générales de la marque QB et le référentiel mentionné ci-dessus.



Décision d'extension n° 1133-635A du 10 février 2021

Cette décision se substitue à la décision d'admission n° 1129-635A du 13 janvier 2021

Le certificat en vigueur peut être consulté sur le site internet <http://evaluation.cstb.fr> pour en vérifier sa validité.

CARACTÉRISTIQUES CERTIFIÉES

- > Résistance au vieillissement
- > Tenue des couleurs
- > Résistance à l'usage

Ce certificat comporte 3 pages.

Correspondant :

Direction Baies et Vitrages
QB33@cstb.fr

Pour le CSTB
Pour le Président



Edwige PARISEL

Certificate

Laminated profiles

Windows, doors, verandas and accessories

CSTB hereby certifies that the above-mentioned product complies with the characteristics described in the certification referencial QB "Covered PVC Profiles" (QB33) in force following an assessment performed according to the inspection procedures set out in this referencial.

By virtue of the present decision, CSTB grants :

the company **COPRODEX**
ZI Europort
FR-57500 SAINT AVOLD

plant : **COPRODEX**
FR-57500 SAINT AVOLD

the right to use the QB mark "Covered PVC Profiles" for products concerned by this decision, throughout its period of validity and under the conditions stipulated under the general requirements of the QB mark and the above-mentioned referencial.



635A

Decision of extension no. 1133-635A dated 10 February 2021

This decision takes the place of the decision of admission no. 1129-635A dated 13 January 2021

The certificate validity may be checked on the web site <http://evaluation.cstb.fr>.

CERTIFIED CHARACTERISTICS

- > Weathering resistance
- > Color retaining
- > Usage resistance

This certificate includes 3 pages.

Contact :

Windows and Glazing Department
QB33@cstb.fr

For CSTB
On behalf of the President



Edwige PARISEL

Décision d'admission n° 1133-635A du 10 février 2021
Decision of admission no. 1133-635A dated 10 February 2021

DOCUMENTS TECHNIQUES D'APPLICATION (fenêtres) / TECHNICAL APPLICATION DOCUMENTS (windows)

ARBAN Grosfillex Altatherm – Altadécor – Altaduo – Altatwin – Therméa – Therméadécor – Therméaduo – TherméaTwin – Primalux – Primaluxduo – Sunbaie75 – Exaconfort75 (6/15-2239)

AVIS TECHNIQUES (coffres de volet roulant) / TECHNICAL APPRAISALS (roller shutter box)

BUBENDORFF Bloc NTh – Bloc RTh (6/15-2241)
BUBENDORFF TITAN (16/17-759)

| GROUPES DE TEINTES / SHADES GROUPS | | Systemes adhésifs / Adhesive systems |
|--|-----------------------|---|
| Films / Foils | | 16208-16104 |
| KONRAD HORNSCHUCH Weissbach (605P) | SKAI COOL COLORS TP50 | bois (wood), foncées (dark), Alux, Metbrush |
| | SKAI COOL COLORS TP60 | claires (light) |
| RENOLIT Worms (600P) RENOLIT Cramlington (609P) | EXOFOL PX | bois (wood) |