

Certificate

Sanitary components

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system Sanitary components (NF 076), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company **NICOLL**
37 Rue Pierre et Marie CURIE
BP 10966 - FR-49309 CHOLET

Factory : **FR-49309 CHOLET**

the right to use the NF mark Sanitary components for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal n° 254-U2-22/4 dated 21/09/2022
This decision replaces decision n° 254-U2-22/3 dated 06/06/2022

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS


The products covered by the NF mark Sanitary components have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

This certificate comprises 4 pages.

Correspondent :

Stéphane FATIS
Phone : (33) 01 64 68 88 60
Fax : (33) 01 64 68 84 44
Email : stephane.fatis@cstb.fr

For CSTB
On behalf of the President



Florian RASSE

Appendix to the Certificate

Decision no. 254-U2-22/4

FLOOR GULLIES

These products have the minimum characteristics defined in the NF EN 1253-1 standard and in the technical document DT076-04.

| CSTB | Trademark | Range | Reference | Nominal Diameter | lateral water inlets | sealing membrane | Class | Usage | Usage location |
|--|-----------|-------------|-----------------------|------------------|----------------------|------------------|-------|--------|----------------|
| FLOOR GULLIES FOR TILED FLOOR | | | | | | | | | |
| UC01a) | NICOLL | DOCIA | SICA15V | 50/63 | No | Yes | K3 | Public | All |
| UC01a) | NICOLL | DOCIA | SIPMRV + GSICAPMR | 50/63 | No | Yes | K3 | Public | All |
| UC01a) | NICOLL | DOCIA | SICA10V | 50/63 | No | Yes | K3 | Public | All |
| UC03a) | NICOLL | DOCIA | SIX10HNC316 | 40/50 | No | Yes | K3 | Public | All |
| UC03a) | NICOLL | DOCIA - PMR | SIXPMRHCE + GSICAXPMR | 40/50 | No | Yes | K3 | Public | All |
| UC03a) | NICOLL | DOCIA | SIX10HNC316V | 40/50 | No | Yes | K3 | Public | All |
| UC03a) | NICOLL | DOCIA | SICAX10IHNC | 40/50 | No | Yes | K3 | Public | All |
| UC03a) | NICOLL | DOCIA | SICAX10IHC | 40/50 | No | Yes | K3 | Public | All |
| UC03a) | NICOLL | DOCIA | SICAX10IH | 40/50 | No | Yes | K3 | Public | All |
| UC03a) | NICOLL | DOCIA | SICAX10HP | 40/50 | No | Yes | K3 | Public | All |
| UC03a) | NICOLL | DOCIA | SICAX10HNR | 40/50 | No | Yes | K3 | Public | All |
| UC03a) | NICOLL | DOCIA | SICAX10HNP | 40/50 | No | Yes | K3 | Public | All |
| UC03a) | NICOLL | DOCIA - PMR | SIXPMRH + GSICAXPMR | 40/50 | No | Yes | K3 | Public | All |
| UC03b) | NICOLL | DOCIA | SIX10VNC316 | 50/63 | No | No | K3 | Public | All |
| UC03b) | NICOLL | DOCIA - PMR | SIXPMRV + GSICAXPMR | 50/63 | No | No | K3 | Public | All |
| UC03b) | NICOLL | DOCIA | SICAX10IV | 50/63 | No | No | K3 | Public | All |
| UC03b) | NICOLL | DOCIA | SICAX10IVC | 50/63 | No | No | K3 | Public | All |
| UC03b) | NICOLL | DOCIA | SICAX10IVNC | 50/63 | No | No | K3 | Public | All |
| UC03b) | NICOLL | DOCIA | SICAX10VNP | 50/63 | No | No | K3 | Public | All |
| UC03b) | NICOLL | DOCIA | SICAX10VP | 50/63 | No | No | K3 | Public | All |
| UC03b) | NICOLL | DOCIA | SIX10VNC316V | 50/63 | No | No | K3 | Public | All |
| UC03b) | NICOLL | DOCIA | SICAX10VNR | 50/63 | No | No | K3 | Public | All |
| UC03b) | NICOLL | DOCIA - PMR | SIXPMRVCE + GSICAXPMR | 50/63 | No | No | K3 | Public | All |
| UC04a) | NICOLL | DOCIA | SICAX15IH | 40/50 | No | No | K3 | Public | All |
| UC04a) | NICOLL | DOCIA | SICAX15HP | 40/50 | No | No | K3 | Public | All |
| UC04a) | NICOLL | DOCIA | SICAX15IHC | 40/50 | No | No | K3 | Public | All |
| UC04a) | NICOLL | DOCIA | SICAX15IHNC | 40/50 | No | No | K3 | Public | All |
| UC04a) | NICOLL | DOCIA | SICAX15IHNCV | 40/50 | No | No | K3 | Public | All |
| UC04a) | NICOLL | DOCIA | SIX15HNC316 | 40/50 | No | No | K3 | Public | All |
| UC04a) | NICOLL | DOCIA | SICAX15HNP | 40/50 | No | No | K3 | Public | All |
| UC04b) | NICOLL | DOCIA | SICAX15VP | 50/63 | No | No | K3 | Public | All |
| UC04b) | NICOLL | DOCIA | SICAX15VNP | 50/63 | No | No | K3 | Public | All |
| UC04b) | NICOLL | DOCIA | SICAX15IVNC | 50/63 | No | No | K3 | Public | All |
| UC04b) | NICOLL | DOCIA | SICAX15IVC | 50/63 | No | No | K3 | Public | All |
| UC04b) | NICOLL | DOCIA | SICAX15IV | 50/63 | No | No | K3 | Public | All |
| FLOOR GULLIES FOR FLEXIBLE PLASTIC FLOOR COVERING | | | | | | | | | |
| UP01a) | NICOLL | DOCIA | SIXPMRV + GSITARPMR | 50/63 | No | No | K3 | Public | All |

Appendix to the Certificate

Decision no. 254-U2-22/4

| CSTB | Trademark | Range | Reference | Nominal Diameter | lateral water inlets | sealing membrane | Class | Usage | Usage location |
|--|-----------|-------|---------------------|------------------|----------------------|------------------|-------|--------|----------------|
| UP01a) | NICOLL | DOCIA | SITARALV | 50/63 | No | No | K3 | Public | All |
| UP01a) | NICOLL | DOCIA | SITARV | 50/63 | No | No | K3 | Public | All |
| UP02a) | NICOLL | DOCIA | SITARH | 40/50 | No | No | K3 | Public | All |
| UP02a) | NICOLL | DOCIA | SIXPMRH + GSITARPMR | 40/50 | No | No | K3 | Public | All |
| UP02a) | NICOLL | DOCIA | SITARALH | 40/50 | No | No | K3 | Public | All |
| FLOOR GULLIES FOR READY-TO-TILE PAN | | | | | | | | | |
| UR01 | NICOLL | DOCIA | SRAC15I316V | 50/63 | No | No | K3 | Public | All |
| UR01 | NICOLL | DOCIA | SRAC15IV | 50/63 | No | No | K3 | Public | All |
| UR02 | NICOLL | DOCIA | SRAC15IH | 40/50 | No | No | K3 | Public | All |
| UR02 | NICOLL | DOCIA | SRAC15I316H | 40/50 | No | No | K3 | Public | All |
| UR03a) | NICOLL | DOCIA | RAC129IV | 50/63 | No | No | K3 | Public | All |
| UR03a) | NICOLL | DOCIA | RAC99IV | 50/63 | No | No | K3 | Public | All |
| UR03a) | NICOLL | DOCIA | RAC1212IV | 50/63 | No | No | K3 | Public | All |
| UR03b) | NICOLL | DOCIA | RAC1212IH | 40/50 | No | No | K3 | Public | All |
| UR03b) | NICOLL | DOCIA | RAC129IH | 40/50 | No | No | K3 | Public | All |
| UR03b) | NICOLL | DOCIA | RAC99IH | 40/50 | No | No | K3 | Public | All |

GRATINGS ASSOCIATED

| | | | | | | |
|--------------------|------------|------------|------------|---------------|-------------|------------|
| UP01 – UP02 | | | | | | |
| GSITAR | GSITARAL | | | | | |
| UC01 – UC02 | | | | | | |
| GSICA10I | GSICA10 | GSICA15 | GSICA10S | GSICA15S | | |
| UC03 – UC04 | | | | | | |
| GSICAX10IC | GSICAX10IB | GSICAX10IL | GSICAX10IA | GSICAX10I316C | GSICAX10ICV | GSICAX15IE |
| GSICAX15IC | GSICAX15IB | GSICAX15IL | GSICAX15IA | GSICAX15I316C | GSICAX15ICV | GSICAX10IE |
| GSICAX10IR | | | | | | |
| UR01 – UR02 | | | | | | |
| GSICA15I | GSICA15 | GSICA15S | | | | |

CONNECTING PIPES

These products have the minimum characteristics defined in the technical document DT076-06.

| CSTB | Trademark | Range | Reference | External diameter | Material | Which can be cut | Rigid pipe | Length | location |
|--------------------|-----------|--------------|-------------------|-------------------|----------|------------------|------------|--------|----------|
| FLUSH PIPES | | | | | | | | | |
| TC01a) | NICOLL | TUBI | TUBI300 | 45 | PVC | Yes | Yes | 300 | wc |
| TC01b) | NICOLL | TUBI | TUBI400 | 45 | PVC | Yes | Yes | 400 | wc |
| TC01b) | NICOLL | TUBI | TUBI500 | 45 | PVC | Yes | Yes | 500 | wc |
| TC01d) | NICOLL | Bâti-support | TUBI300 + 9873340 | 45 | PVC + PP | Yes | Yes | – | wc |

CENTRE SCIENTIFIQUE ET TECHNIQUE DU BÂTIMENT

84 avenue Jean Jaurès – Champs-sur-Marne – 77447 Marne-la-Vallée cedex 2

Phone : +33 (0)1 64 68 82 82 – www.cstb.fr

MARNE-LA-VALLÉE / PARIS / GRENOBLE / NANTES / SOPHIA ANTIPOLIS

Appendix to the Certificate

Decision no. 254-U2-22/4

| CSTB | Trademark | Range | Reference | External diameter | Material | Which can be cut | Rigid pipe | Length | location |
|--------------------|-----------|--------------|-------------------|-------------------|----------|------------------|---------------------|-----------------|----------|
| TC01e) | NICOLL | Bâti-support | TUBI400 + 9873340 | 45 | PVC + PP | Yes | Yes | -- | wc |
| TC01f) | NICOLL | Bâti-support | TUBI500 + 9873340 | 45 | PVC + PP | Yes | Yes | -- | wc |
| WASTE PIPES | | | | | | | | | |
| TE01a) | NICOLL | -- | 1QW33 | 100 | PVC-U | No | Straight | 161 | wc |
| TE01b) | NICOLL | -- | QW3340 | 100 | PVC-U | No | Straight | 400 | wc |
| TE01c) | NICOLL | Bâti-support | QW4430 | 90 | PVC-U | Non | Straight | 171 | wc |
| TE03 | NICOLL | -- | 1PIPUNIC (350) | 100 | PVC-U | Yes | Elbowed | 350 | wc |
| TE04a) | NICOLL | -- | CTW3330 (300) | 100 | PVC-U | Yes | Elbowed | 300 | wc |
| TE04b) | NICOLL | -- | CTW3340 (400) | 100 | PVC-U | Yes | Elbowed | 400 | wc |
| TE04c) | NICOLL | -- | CTW1140 | 100 | PVC-U | Yes | Elbowed | 400 | wc |
| TE05 | NICOLL | -- | 1CW933F | 100 | PVC-U | Yes | Elbowed | 400 | wc |
| TE06 | NICOLL | -- | 1CW55 | 93 | PVC-U | Yes | Elbowed | -- | wc |
| TE07a) | NICOLL | -- | 1PWOR | 100 | PVC-U | No | Straight adjustable | -- | wc |
| TE08a) | NICOLL | -- | PORTWC | 100 | PVC-U | Yes | Straight adjustable | 315/347 | wc |
| TE09 | NICOLL | -- | QW4430+PORTBAT | 100 | PVC-U | Yes | Straight adjustable | 171+315/ 347 | wc |