

# Certificate

## Treillis en fibres de verre pour enduits de façade – Glass fiber mesh for facade coatings

### SSA-0606-165 F+

CSTB hereby certifies that the above-mentioned product complies with the characteristics described in the certification reference system QB 12 " Treillis en fibres de verre pour enduits de façade " in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision, CSTB grants:

**The Company**            **JSC JSC VALMIERAS STIKLA ŠĶIEDRA, AS**  
CEMPU 13 - LV - 4201 VALMIERA

**Plant**                      VALMIERA  
CEMPU 13 - LV - 4201 VALMIERA

the right to use the QB mark "Treillis en fibres de verre pour enduits de façade" for the product covered under this decision, throughout its period of validity and under the conditions stipulated under the general requirements of the QB mark and the above-mentioned reference system.

**09-32**

**Decision of renewal no. 123-09-32 dated 03/06/2022**

**This decision takes the place of the decision of renewal no. 104-09-32 dated 24/06/2019**

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate may be watched on the following web site <http://evaluation.cstb.fr> to check its validity.

## CERTIFIED CHARACTERISTICS

<b>T</b>	initial tensile strength,
<b>Ra</b>	alkali resistance,
<b>M</b>	mesh,
<b>E</b>	elongation

The following classification T Ra M E is associated with this QB Certificate:

T	Ra	M	E
<b>3</b>	<b>1</b>	<b>3</b>	<b>2</b>

**This certificate comprises 2 pages.**

**Contact:**

Brice TUAYIZIDI NASI

Courriel : [brice.tuayizidi-nasi@cstb.fr](mailto:brice.tuayizidi-nasi@cstb.fr)

Tél. : 01 64 68 82 74

Par délégation  
du Président



Florian RASSE

**Appendix to the Certificate**

Decision no. 123-09-32 dated 03/06/22

**Treillis en fibres de verre pour enduits de façade – Glass fiber mesh for facade coatings****Product description declared by the manufacturer****(Uncertified Features)**

This product identification card is for use by the manufacturer and by compliance review officers. It specifies the key characteristics identifying the mesh cited as reference.

**SSA-0606-165 F+**

**The Company**    **JSC VALMIERAS STIKLA ŠĶIEDRA, AS**  
CEMPU 13 - LV - 4201 VALMIERA

**Plant**            VALMIERA  
CEMPU 13 - LV - 4201 VALMIERA

**Ingredient components :**

- o Threads :    glass fibre
- o Resin coating :    styrene - butadiene and methacrylate copolymer

**Identification of the product :**

- o Color :    standard : white / another color on request  
    another color on request
  
- o Reference marking :    a black thread at 10 cm from edge
- o    other printing and marking to the client's request
- o Type :    woven mesh
- o Square dimensions :
  - Warp direction:    6.2 ± 0,5 mm
  - Weft direction:    6.0 ± 0,5 mm
- o Treated fabric weight:    165 ± 10 % g/m<sup>2</sup>
- o Ash content (625 ± 20) °C:    (83 ± 3) %