

Certificate

SANITARY APPLIANCES

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company **EGE VITRIFIYE SAGLIK GERECLERI SANAYI VE TICARET AS**

ANKARA KARAYOLU 26 KM KEMALPASA

TR- IZMIR

Brand : **EGEVITRIFIYE**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal EGES dated 04/11/2022
This decision replaces decision EGES dated 28/02/2022

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

This certificate comprises 3 pages.

Correspondent :

Alexandra GOSSET
Tél. : (33) 01 64 68 82 84

Email : alexandra.gosset@cstb.fr

For CSTB

On behalf of the President



Florian RASSE

Appendix to the Certificate

Decision of renewal EGES dated 04/11/2022

Sanitary ceramic washbasins

These products have the minimum characteristics defined in the standard: NF EN 14688; NF EN 31; NF D11-201; NF D11-101; NF D14-601; NF D12-210 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Model	Width (mm)
KARYA	20451	Pedestal washbasin	450
KARYA	20601	Pedestal washbasin	600
LIKYA	10451	Pedestal washbasin	450
LIKYA	10601	Pedestal washbasin	600
PINARA	90561	Toilet washbasin	560

Sanitary ceramic WC pans using less than 7 litres

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D 12-101 and into the technical(s) document(s) : DT017-12

Range	Commercial reference	Model	Cistern reference	Outlet
ALIA	53203	Pedestal, close-coupled cistern, direct flushing	53104	Horizontale
KAPIA	15203	Pedestal, close-coupled cistern, direct flushing	15104/4366	Horizontal
LIKYA	10303	Wall-hung, independent supply, direct flushing		Horizontale
SIMENA	70303	Wall-hung, independent supply, direct flushing		Horizontale

Equipped flushing cisterns

These products have the minimum characteristics defined in the standard: NF EN 14055; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-14

Range	Commercial reference	Control	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
ALIA	12114		GEBERIT TYPE 240	GEBERIT IB 330	53203	

Appendix to the Certificate

Decision of renewal EGES dated 04/11/2022

Range	Commercial reference	Control	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
ALIA	53104		GEBERIT TYPE 240	GEBERIT IB 330	53203	
KAPIA	15104		GEBERIT TYPE 240	GEBERIT IB 330	15203/4365	

Colours

Range	Commercial reference	GC	USURE
BLANC	Néant	Glossy Clear	