

Certificate

SANITARY APPLIANCES

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company **VILLEROY ET BOCH**

 RTE COULOMMIERS

 FR-77320 LA FERTE GAUCHER
Brand : **GUSTAVSBERG**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal GUSG dated 09/08/2022
This decision replaces decision GUSG dated 15/11/2021

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

This certificate comprises 3 pages.

Correspondent :

Alexandra GOSSET
Tél. : (33) 01 64 68 82 84

Email : alexandra.gosset@cstb.fr

For CSTB

On behalf of the President



Nicolas RUAUX

Appendix to the Certificate

Decision of renewal GUSG dated 09/08/2022

Sanitary ceramic washbasins

These products have the minimum characteristics defined in the standard: NF EN 14688; NF EN 31; NF D11-201; NF D11-101; NF D14-601; NF D12-210 and into the technical(s) document(s) : DT017-21

| Range | Commercial reference | Model | Width (mm) |
|-------------------|----------------------|---------------------------|------------|
| SAVAL 2.0 / VOLTA | 7G1155 | Wall-hung washbasin | 550 |
| SAVAL 2.0 / VOLTA | 7G1160 | Wall-hung washbasin | 600 |
| SAVAL 2.0 / VOLTA | 7G1165 | Wall-hung washbasin | 650 |
| SAVAL 2.0 / VOLTA | 7G2860 | Built-in toilet washbasin | 605 |
| SAVAL 2.0 / VOLTA | 7G3251 | Wash-hand basin | 515 |
| SAVAL 2.0 / VOLTA | 7G1245 | Wash-hand basin | 450 |
| SAVAL 2.0 / VOLTA | 7G3741 | Angle washbasin | 540 |
| SAVAL 2.0 / VOLTA | 7G3640 | Wash-hand basin | 400 |

Enamelled material products for municipal services

These products have the minimum characteristics defined in the standard: NF EN 13407; NF EN 14296; NF EN 80; NF D 11-130; NF D14-601 and into the technical(s) document(s) : DT017-16

| Range | Commercial reference | Model |
|-------------------|----------------------|--------|
| SAVAL 2.0 / VOLTA | 7G5000 | Urinal |
| SAVAL 2.0 / VOLTA | 7G5100 | Urinal |

Sanitary ceramic WC pans using less than 7 litres

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D 12-101 and into the technical(s) document(s) : DT017-12

| Range | Commercial reference | Model | Cistern reference | Outlet |
|-------------------|----------------------|--|-------------------|-------------|
| SAVAL 2.0 / VOLTA | 7G6401 | Pedestal, independent supply, direct flushing | | VERTICALE |
| SAVAL 2.0 / VOLTA | 7G0310 | Pedestal, close-coupled cistern, direct flushing | 7G3821 | HORIZONTALE |
| SAVAL 2.0 / VOLTA | 7G6410 | Pedestal, independent supply, direct flushing | | Horizontale |

Appendix to the Certificate

Decision of renewal GUSG dated 09/08/2022

| Range | Commercial reference | Model | Cistern reference | Outlet |
|----------------------------|----------------------|--|-------------------|-------------|
| SavalVolta | C065-10 | Wall-hung, independent supply, direct flushing | | Horizontale |
| TEAR DROP COMPACT WCWH | 7G48RO | Wall-hung, independent supply, direct flushing | | Horizontale |
| TEAR DROP STANDARD WCWH | 7G47RO | Wall-hung, independent supply, direct flushing | | Horizontale |