

# Certificate

## SANITARY APPLIANCES

### Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

**The company** **LAUFEN CZ SRO PROVOZOVNA BECHYNE**

**NA LIBUSI 717**

**CZ-391 65 BECHYNE**

**Brand :** **JIKA**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal JIKA dated 23/02/2022  
This decision replaces decision JIKA dated 10/06/2021

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

## CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

**This certificate comprises 3 pages.**

**Correspondent :**

Alexandra GOSSET

Tél. : (33) 01 64 68 82 84

Email : alexandra.gosset@cstb.fr

For CSTB  
On behalf of the President



Florian RASSE

## Appendix to the Certificate

Decision of renewal JIKA dated 23/02/2022

### Sanitary ceramic washbasins

These products have the minimum characteristics defined in the standard: NF EN 14688; NF EN 31; NF D11-201; NF D11-101; NF D14-601; NF D12-210 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Model	Width (mm)
NEO	10392	Pedestal washbasin	600
NEO	8.1257.2	Built-in washbasin	550

### Sanitary ceramic WC pans using less than 7 litres

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D 12-101 and into the technical(s) document(s) : DT017-12

Range	Commercial reference	Model	Cistern reference	Outlet
DINO	21370	Wall-hung, independent supply, direct flushing		Horizontale
FLAMENCO	24647	Pedestal, close-coupled cistern, direct flushing	28662	Verticale
NEO	24396	Pedestal, close-coupled cistern, direct flushing	29240	Horizontale
NEO	23570	Wall-hung, independent supply, direct flushing		Horizontale
OLYMP	8.20640	Wall-hung, independent supply, direct flushing		Horizontale

### Equipped flushing cisterns

These products have the minimum characteristics defined in the standard: NF EN 14055; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-14

Range	Commercial reference	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
NEO	28396	ROCA	ROCA	24576	
NEO	29240	ROCA D1D	ROCA A3L	24396	

**Appendix to the Certificate**

Decision of renewal JIKA dated 23/02/2022

**PACK**

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D12-101; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-12; DT017-14; DT017-15

Range	Commercial reference	WC pan reference	Cistern reference	Reference of toilet seat	REF_BATI	Stop valve ref.
NEO	824586	24396	29240	NEO		

**Colours**

Range	Commercial reference	GC	USURE
BLANC	000	Glossy Clear	III