

Certificate

SANITARY APPLIANCES

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company **VILLEROY ET BOCH**

 RTE COULOMMIERS

 FR-77320 LA FERTE GAUCHER
Brand : **KERACO**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal KERA dated 08/08/2022
This decision replaces decision KERA dated 15/11/2021

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

This certificate comprises 3 pages.

Correspondent :

Alexandra GOSSET
Tél. : (33) 01 64 68 82 84

Email : alexandra.gosset@cstb.fr

For CSTB

On behalf of the President



Nicolas RUAUX

Appendix to the Certificate

Decision of renewal KERA dated 08/08/2022

Sanitary ceramic WC pans using less than 7 litres

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D 12-101 and into the technical(s) document(s) : DT017-12

Range	Commercial reference	Model	Cistern reference	Outlet
ALTORA	404593	Pedestal, close-coupled cistern, direct flushing	484694 / 484649	Horizontale
ECO	404549	Pedestal, close-coupled cistern, direct flushing	484694 / 484649	Horizontale
SavalVolta	C065-10	Wall-hung, independent supply, direct flushing		Horizontale
SILVIA	4E4510	Pedestal, close-coupled cistern, direct flushing	81356012/207 ; FS1103132B FS14A3132B;FS14C3132B; 81363012;81356012/207T2; 4E1610	Horizontale

Equipped flushing cisterns

These products have the minimum characteristics defined in the standard: NF EN 14055; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-14

Range	Commercial reference	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
ALTORA	484694	SIAMP OPTIMA 49	SIAMP COMPACT 95L	404593 / 404549	
ECO	484649	SIAMP OPTIMA 49	SIAMP COMPACT 95L	404593 / 404549	
SILVIA	4E4610	SIAMP 36A	SIAMP 95L	81343012/TC1 / 4E4510	

Appendix to the Certificate

Decision of renewal KERA dated 08/08/2022

PACK

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D12-101; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-12; DT017-14; DT017-15

Range	Commercial reference	WC pan reference	Cistern reference	Reference of toilet seat
ALTORA	404595	404593 / 404549	484694 / 484649	SIAMP MC2
ECO	404SH4	404593 / 404549	484694 / 484649	SIAMP MC2