

Certificate

SANITARY APPLIANCES

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company **KOHLER Co**

444 Highland Drive

US-53044 KOHLER

Brand : **KOHLER**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal KOHL dated 17/06/2022
This decision replaces decision KOHL dated 31/05/2022

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

This certificate comprises 3 pages.

Correspondent :

Alexandra GOSSET
Tél. : (33) 01 64 68 82 84

Email : alexandra.gosset@cstb.fr

For CSTB

On behalf of the President



Florian RASSE

Appendix to the Certificate

Decision of renewal KOHL dated 17/06/2022

Sanitary ceramic washbasins

These products have the minimum characteristics defined in the standard: NF EN 14688; NF EN 31; NF D11-201; NF D11-101; NF D14-601; NF D12-210 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Model	Width (mm)
ODEON UP	4962K	Wash-hand basin	450
ODEON UP	4961K	Wash-hand basin	360
PATIO	19496D	Wall-hung washbasin	550
REACH	18556W-L	Wash-hand basin	500
REACH	18556W-R	Wash-hand basin	500
REACH	4949CK	Wash-hand basin	400
REACH	4943K	Wall-hung washbasin	560
STRUKTURA	GH112K	Wash-hand basin	450
STRUKTURA	GH112K-Z	Wash-hand basin	450

Sanitary ceramic bidets

These products have the minimum characteristics defined in the standard: NF EN 14528; NF EN 35; NF D 11-107, NF D11-107; ND D14-601

Range	Commercial reference	Width (mm)	Length (mm)	Wall-hung
PATIO	4189W	365	535	Yes
PATIO	BB0001K	356	535	No

Vitreous enamelled shower trays

These products have the minimum characteristics defined in the standard: NF EN 14527; NF EN 251; NF D11-124; NF D14-601 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Width (mm)	Length (mm)
ODEON UP	N108K	750	900
ODEON UP	N125K	900	900
ODEON UP	N123K	1000	1000
REPLAY	N144K	80	120
REPLAY	N140K	900	900

Appendix to the Certificate

Decision of renewal KOHL dated 17/06/2022

Colours

Range	Commercial reference	GC	USURE
BLANC	00	Glossy Clear	III
BLANC ANTIDERAPANT	220	Mat Clear	III
PERGAMON	5M	Glossy Clear	III