

# Certificate

## SANITARY APPLIANCES

### Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

**The company**                      **MATEL HAMMADDE SANAYI VE TICARET AS**  
  
**ORGANIZE SANAYI BÖLGESİ ATATÜRK CADESİ N°14**  
  
**TR-45030 MANISA**  
**Brand :**                              **SEREL**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal SERE dated 07/03/2022  
This decision replaces decision SERE dated 11/06/2021

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

## CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

**This certificate comprises 4 pages.**

**Correspondent :**

Alexandra GOSSET  
Tél. : (33) 01 64 68 82 84

Email : alexandra.gosset@cstb.fr

For CSTB

On behalf of the President



Florian RASSE

## Appendix to the Certificate

Decision of renewal SERE dated 07/03/2022

### Sanitary ceramic washbasins

These products have the minimum characteristics defined in the standard: NF EN 14688; NF EN 31; NF D11-201; NF D11-101; NF D14-601; NF D12-210 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Model	Width (mm)
OVER COUNTER WASHBASIN	1831	Built-in toilet washbasin	475
OVER COUNTER WASHBASIN	1821	Built-in toilet washbasin	435

### Sanitary ceramic bidets

These products have the minimum characteristics defined in the standard: NF EN 14528; NF EN 35; NF D 11-107, NF D11-107; ND D14-601

Range	Commercial reference	Width (mm)	Length (mm)	Wall-hung
LALE	7603	360	560	No

### Vitreous enamelled shower trays

These products have the minimum characteristics defined in the standard: NF EN 14527; NF EN 251; NF D11-124; NF D14-601 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Width (mm)	Length (mm)
CORNER	4208	800	800
CORNER	4418	900	900
SHOWER TRAY	4508	800	1200
SHOWER TRAY	4418	900	900
SHOWER TRAY	4518	800	1000
SHOWER TRAY	4218	800	800
SQUARE	4008	800	800
SQUARE	4308	900	900
SQUARE	4108	700	700

### Sanitary ceramic WC pans using less than 7 litres

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D 12-101 and into the technical(s) document(s) : DT017-12

## Appendix to the Certificate

Decision of renewal SERE dated 07/03/2022

Range	Commercial reference	Model	Cistern reference	Outlet
CALI	6316	Pedestal, close-coupled cistern, direct flushing	MN04	horizontale
FRIENDLY	6706	Pedestal, close-coupled cistern, direct flushing	6704	Horizontale
IZMIR	6316	Pedestal, close-coupled cistern, direct flushing	MN04	horizontale
Néant	0422	Wall-hung, independent supply, direct flushing		Horizontale
ZAMBAK	6316	Pedestal, close-coupled cistern, direct flushing	6704	Horizontale
ZAMBAK	6316	Pedestal, close-coupled cistern, direct flushing	MN04	horizontale

## Equipped flushing cisterns

These products have the minimum characteristics defined in the standard: NF EN 14055; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-14

Range	Commercial reference	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
FRIENDLY	6704	SIAMP OPTIMA 45	SIAMP COMPACT 95L		
MINE	MN04	SIAMP OPTIMA 49	SIAMP COMPACT 95L	6316	
MINE	MN04G	GEBERIT IB 330	GEBERIT IB 230	6316	

## PACK

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D12-101; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-12; DT017-14; DT017-15

Range	Commercial reference	WC pan reference	Cistern reference	Reference of toilet seat	REF_BATI	Stop valve ref.
CALI	Néant	6316	MN04	JAPAR OCEAN		

**Appendix to the Certificate**

Decision of renewal SERE dated 07/03/2022

Range	Commercial reference	WC pan reference	Cistern reference	Reference of toilet seat	REF_BATI	Stop valve ref.
ZAMBAK	Néant	6316	MN04	MONTE CARLO 3		
ZAMBAK 2	Néant	6316	MN04	JAPAR OCEAN		
ZAMBAK 3	Néant	6316	MN04	JAPAR OCEAN SOFT CLOSE		
ZAMBAK 4	Néant	6316	MN04G	OCEAN		
ZOLA	Néant	6316	MN04	JAPAR OCEAN SOFT CLOSE		