

Certificate

SANITARY APPLIANCES

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company **ROCA SANITARIO S.A.**

RAMBLA LLUCH, 2

ES-08850 GAVA (BARCELONA)

Brand : **ZOOM**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal ZOOM dated 21/09/2022
This decision replaces decision ZOOM dated 14/03/2022

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

This certificate comprises 4 pages.

Correspondent :

Alexandra GOSSET
Tél. : (33) 01 64 68 82 84

Email : alexandra.gosset@cstb.fr

For CSTB

On behalf of the President



Florian RASSE

Appendix to the Certificate

Decision of renewal ZOOM dated 21/09/2022

Sanitary ceramic washbasins

These products have the minimum characteristics defined in the standard: NF EN 14688; NF EN 31; NF D11-201; NF D11-101; NF D14-601; NF D12-210 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Model	Width (mm)
MADALENA	WM810VR3V001001	Wall-hung washbasin	600
POLO	WM810001Z000001	Pedestal washbasin	630
POLO	WM810018Z0010F1	Pedestal washbasin	560
POLO	WM815L11Z0010F1	Wash-hand basin	450
POLO	32629B00N	Pedestal washbasin	560
POLO	WM810018Z0010F1	Pedestal washbasin	560
POLO	32629A00N	Pedestal washbasin	630
POLO	WM810001Z000001	Pedestal washbasin	630
POLO	32629C00N	Wall-hung washbasin	520
POLO	WM810014Z0010F2	Wall-hung washbasin	520

Sanitary ceramic bidets

These products have the minimum characteristics defined in the standard: NF EN 14528; NF EN 35; NF D 11-107, NF D11-107; ND D14-601

Range	Commercial reference	Width (mm)	Length (mm)	Wall-hung
POLO	WM830011Z00001	350	535	No

Acrylic material baths

These products have the minimum characteristics defined in the standard: NF EN 14516; NF EN 198; NF EN 232; NF EN 263; NF D 11-121 and into the technical(s) document(s) : DT017-08; DT017-10; DT017-21

Range	Commercial reference	Cap.(l)	Mass (kg)	Width (mm)	Length (mm)
POLO	A248114000	184	17,0	700	1600
POLO	A248113000	209	18,3	700	1700
POLO	A248112000	201	19,7	750	1600

Vitreous enamelled shower trays

These products have the minimum characteristics defined in the standard: NF EN 14527; NF EN 251; NF D11-124; NF D14-601 and into the technical(s) document(s) : DT017-21

Appendix to the Certificate

Decision of renewal ZOOM dated 21/09/2022

Range	Commercial reference	Width (mm)	Length (mm)
POLO	WMT1CA16Z000001	900	900

Sanitary ceramic WC pans using less than 7 litres

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D 12-101 and into the technical(s) document(s) : DT017-12

Range	Commercial reference	Model	Cistern reference	Outlet
MADALENA	WM821VR6V000001	Pedestal, close-coupled cistern, direct flushing	WM828VR2V000001 / 416862	Horizontale
POLO	34429500F	Pedestal, independent supply, direct flushing		Horizontale
POLO	WM822012Z000001	Pedestal, independent supply, direct flushing		Horizontale
POLO	34629500N	Wall-hung, independent supply, direct flushing		Horizontale
POLO	WM820011Z00000E	Wall-hung, independent supply, direct flushing		Horizontale
POLO	WM821016Z000002	Pedestal, close-coupled cistern, direct flushing	WM828012Z00LRF1	SH

Appendix to the Certificate

Decision of renewal ZOOM dated 21/09/2022

Equipped flushing cisterns

These products have the minimum characteristics defined in the standard: NF EN 14055; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-14

Range	Commercial reference	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
MADALENA FIT	WM828VR2V000001	GEBERIT IMPULS BASIC 230	GEBERIT IMPULS BASIC 340	WM821VR6V000001 / 416861	
POLO	WM828012Z00LRF1	ROCA D2D	ROCA A3L	WM821016Z000002	

PACK

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D12-101; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-12; DT017-14; DT017-15

Range	Commercial reference	WC pan reference	Cistern reference	Reference of toilet seat	REF_BAT I	Stop valve ref.
BRAVA	WM821VR6V00LPF 1	WM821VR6V00000 1 / 416861	WM828VR2V00000 1 / 416862	WM82SCVRV000P0 1 / 416870		

Colours

Range	Commercial reference	GC	USURE
BLANC	1	Glossy Clear	III
BLANC	00	Glossy Clear	III