

Certificate

SANITARY APPLIANCES

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company **DSC**

2 AVENUE DES CHARMES

ZAC DU PARC ALATA

FR-60550 VERNEUIL EN HALATTE

Brand : **ALTERNA**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal CEDE dated 09/11/2023
This decision replaces decision CEDE dated 24/10/2023

Except in case of withdrawal, suspension or modification, this certificate is valid.
This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

This certificate comprises 4 pages.

Correspondent :

Alexandra GOSSET
Tél. : (33) 01 64 68 82 84

Email : alexandra.gosset@cstb.fr

For CSTB
On behalf of the President



Florian RASSE

Appendix to the Certificate

Decision of renewal CEDE dated 09/11/2023

Sanitary ceramic washbasins

These products have the minimum characteristics defined in the standard: NF EN 14688; NF EN 31; NF D11-201; NF D11-101; NF D14-601; NF D12-210 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Model	Width (mm)
Néant	4395082	Toilet washbasin	400
Néant	4632453	Wash-hand basin	400
PRIMEO 2	6574729	Pedestal washbasin	600
PRIMEO 2	3115262	Built-in toilet washbasin	540

Acrylic material baths

These products have the minimum characteristics defined in the standard: NF EN 14516; NF EN 198; NF EN 232; NF EN 263; NF D 11-121 and into the technical(s) document(s) : DT017-08; DT017-10; DT017-21

Range	Commercial reference	Cap.(l)	Mass (kg)	Width (mm)	Length (mm)
VERSEAU	6876183	220	20,8	750	1700
VERSEAU	6876186	170	15,7	700	1500
VERSEAU	6876185	185	17,9	700	1600
VERSEAU	6876184	200	18,5	700	1700

Vitreous enamelled shower trays

These products have the minimum characteristics defined in the standard: NF EN 14527; NF EN 251; NF D11-124; NF D14-601 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Width (mm)	Length (mm)	Option Slipperiness
ALTERNA DESIGN	7939232	800	800	PN 24
ALTERNA DESIGN	7939233	900	900	PN 24
ALTERNA DESIGN	7939234	800	1000	PN 24
ALTERNA DESIGN	7939235	800	1200	PN 24
ALTERNA DESIGN	7939236	900	1200	PN 24
ALTERNA DESIGN	7939237	900	1400	PN 24
SEDUCTA	6554514	900	900	
SEDUCTA	6554504	800	800	
SEDUCTA	6554505	800	800	PN 24
SEDUCTA	6554508	700	900	
SEDUCTA	6554509	700	900	PN 24
SEDUCTA	6554506	900	900	

Appendix to the Certificate

Decision of renewal CEDE dated 09/11/2023

Range	Commercial reference	Width (mm)	Length (mm)	Option Slipperiness
SEDUCTA	6554507	900	900	PN 24
SEDUCTA	6554510	800	1000	
SEDUCTA	6554511	800	1000	PN 24
SEDUCTA	6554512	800	1200	
SEDUCTA	6554513	800	1200	PN 24
VERSEAU	3701521	700	700	
VERSEAU	3701522	800	800	
VERSEAU	3701524	900	900	
VERSEAU	3701520	700	700	
VERSEAU	3701523	800	800	
VERSEAU	3701525	900	900	
VERSEAU	3701526	800	1000	
VERSEAU	3701527	800	1200	

Frame body

These products have the minimum characteristics defined in the standard: NF D 12-208 and into the technical(s) document(s) : DT017-17

Range	Commercial reference	Type of installation	Cistern reference	Control
PRIMEO	3512656	Universel	34247400	YIN YANG LEMON MOON MEDIA SMARTY SMART SMARTY MVI SMART MVI SQUARE SEGMENT
PRIMEO 2 3512656	31244611	Universel	34247400	YIN YANG LEMON MOON MEDIA SMARTY SMART SMARTY MVI SMART MVI SQUARE SEGMENT

Appendix to the Certificate

Decision of renewal CEDE dated 09/11/2023

Vitreous enamelled sinks

These products have the minimum characteristics defined in the standard: NF EN 13310; NF EN 695; NF D 13-101; NF D13-101; NF D14-601; DT017-21

Range	Commercial reference	Width (mm)	Length (mm)
VERSEAU	3701517	510	920
VERSEAU	3701516	600	1000
VERSEAU	3622369	515	1130
VERSEAU	3622367	605	1210

PACK

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D12-101; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-12; DT017-14; DT017-15

Range	Commercial reference	WC pan reference	Cistern reference	Reference of toilet seat	REF_BATI	Stop valve ref.
CONCERTO	3115253	00322000000	0037590E000464	CONCERTO 0007010E000		
CONCERTO SURELEV	3115254	00328500000	00 37590E000 464	DU BOURGEL / CONCERTO / 0007010E000		
PRIMEO 3	6574726	6107		VITRA / 23- xxx-007		
PRIMEO 4	4024108	238C1	FS14K3132B	MC2		
SERENITE	6262895	5817	5422-XXX-5532	84-xxx-739		
VERSEAU	6262886	7741		84-xxx-019		
VERSEAU	6262896	7749		84-xxx-739		
VERSEAU	6262885	5822	5932-xxx-5033	84-xxx-739		
VERSEAU	7103490	7821	5932-xxx-5533	84-xxx-739		

Colours

Range	Commercial reference	GC	USURE
BLANC	000	Glossy Clear	III
BLANC	Néant		III