

# Certificate

## SANITARY APPLIANCES

### Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

**The company**                      **KINGFISHER INTERNATIONAL PRODUCT FRANCE**

**CS90024 TEMPLEMARS**

**FR-59637 WATTIGNIES**

**Brand :**                              **GOOD HOME**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal GOHO dated 27/04/2023  
This decision replaces decision GOHO dated 12/04/2023

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

## CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

**This certificate comprises 3 pages.**

**Correspondent :**

Alexandra GOSSET  
Tél. : (33) 01 64 68 82 84

Email : alexandra.gosset@cstb.fr

For CSTB

On behalf of the President



Florian RASSE

**Appendix to the Certificate**

Decision of renewal GOHO dated 27/04/2023

## Acrylic material baths

These products have the minimum characteristics defined in the standard: NF EN 14516; NF EN 198; NF EN 232; NF EN 263; NF D 11-121 and into the technical(s) document(s) : DT017-08; DT017-10; DT017-21

Range	Commercial reference	Cap.(l)	Mass (kg)	Width (mm)	Length (mm)
BOLMEN DE	SA6873	189	32	800	1801
BOLMEN SE	SA6872	192	30	750	1700
CAVALLY	SA6855	205	29	1400	1400
CAVALLY DE	SA6660	217	22	800	1800
CAVALLY LH	SA6853	195	25	900	1600
CAVALLY RH	SA6854	195	25	900	1600
CAVALLY SE	SA6658	188	18	702	1700
CAVALLY SE	SA6659	205	21	752	1700
CAVALLY SE	SA6657	174	16	700	1600
CAVALLY SE	SA6857	125	13,5	700	1300
CAVALLY SE	SA6858	140	14	700	1400
CAVALLY SE	SA6859	152	15	700	1500
CAVALLY SE	SA6860	185	19	750	1600
CAVALLY SE	SA6865	190	23	750	1700
TEESTA DE	SA6662	220	22	800	1800
TEESTA LH	SA6866	165	22,5	900	1600
TEESTA RH	SA6867	165	23	900	1600
TEESTA SE	SA6661	218	19	750	1700
TEESTA SE	SA6870	195	21	750	1600

## Equipped flushing cisterns

These products have the minimum characteristics defined in the standard: NF EN 14055; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-14

Range	Commercial reference	Control	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
GoodHomeLagon Frame wall hungtoilet pack NF_box 1	5063022098283	740-0580, 740- 0680,740- 0780,740- 1100,740- 0700,740- 0500, 740- 0500KF	436868	436706		

### Appendix to the Certificate

Decision of renewal GOHO dated 27/04/2023

## Frame body

These products have the minimum characteristics defined in the standard: NF D 12-208 and into the technical(s) document(s) : DT017-17

Range	Commercial reference	Type of installation	Cistern reference
Néant	Néant	En applique	742-5802-01KF
SYLVA	Néant	Autoportant	CISTERN DIY
ZAGAR	Néant	Universel	RESERVOIR COMPACT / CISTERN DIY

## PACK

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D12-101; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-12; DT017-14; DT017-15

Range	Commercial reference	WC pan reference	Cistern reference	Reference of toilet seat	REF_BATI	Stop valve ref.
GoodHome Lagon WH WC + seat 2/2	5059340392868	7855		84-003R759		
GoodHome LagonUniversal fit wallhung toilet packNF	5063022098276	7855	742-5802-01KF	84-003R759	740-0500KF (GH) / 740-0700KF (CL)	
JABI	SZCZ1001883710			PARVA MKW		
LAGON	CCKZ1014363708	05121LN	05301L	Monte Carlo 2 dormant Monaco		