

Certificate

SANITARY APPLIANCES

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company **GROHE AG**

POSTFACH 1361

DE-58653 HEMER

Brand : **GROHE**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal GROH dated 28/06/2023
This decision replaces decision GROH dated 04/11/2022

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

This certificate comprises 4 pages.

Correspondent :

Alexandra GOSSET
Tél. : (33) 01 64 68 82 84

Email : alexandra.gosset@cstb.fr

For CSTB

On behalf of the President



Florian RASSE

Appendix to the Certificate

Decision of renewal GROH dated 28/06/2023

Sanitary ceramic washbasins

These products have the minimum characteristics defined in the standard: NF EN 14688; NF EN 31; NF D11-201; NF D11-101; NF D14-601; NF D12-210 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Model	Width (mm)
BAU CERAMIC	39421000	Wall-hung washbasin	600
BAU CERAMIC	39420000	Wall-hung washbasin	650
BAU CERAMIC	39424000	Wall-hung washbasin	450
BAU CERAMIC	39440000	Wall-hung washbasin	550
BAU CERAMIC	39422000	Built-in toilet washbasin	550
EURO CERAMIC	39323	Wall-hung washbasin	649
EURO CERAMIC	39335	Wall-hung washbasin	695
EURO CERAMIC	39327	Wash-hand basin	370
EURO CERAMIC	39324	Wall-hung washbasin	450
EURO CERAMIC	39337	Vanity basin	596
EURO CERAMIC	39336	Wall-hung washbasin	550

Sanitary ceramic WC pans using less than 7 litres

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D 12-101 and into the technical(s) document(s) : DT017-12

Range	Commercial reference	Model	Cistern reference	Outlet
BAU CERAMIC	39491000	Wall-hung, independent supply, direct flushing		Horizontale
BAU CERAMIC	39427000	Wall-hung, independent supply, direct flushing		Horizontale
BAU CERAMIC	39428000	Pedestal, close-coupled cistern, direct flushing	39494000	Horizontale
BAU CERAMIC	39349000	Pedestal, close-coupled cistern, direct flushing	39494000	Horizontale
BAU CERAMIC	39429000	Pedestal, close-coupled cistern, direct flushing	39494000	Verticale
Bau Edge Ceramic	39809000	Wall-hung, independent supply, direct flushing		Horizontale

Appendix to the Certificate

Decision of renewal GROH dated 28/06/2023

Range	Commercial reference	Model	Cistern reference	Outlet
EURO CERAMIC	39328	Wall-hung, independent supply, direct flushing		Horizontale
EURO CERAMIC	39206	Wall-hung, independent supply, direct flushing		Horizontale

Equipped flushing cisterns

These products have the minimum characteristics defined in the standard: NF EN 14055; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-14

Range	Commercial reference	Control	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
BAU CERAMIC	39494000		DU1 / B4910H	DU1 / B3210-D	39428000 / 39429000 / 39349000	
BAU CERAMIC	39494000		DU1 / B4910 H-G	DU1 / B3210-D	39349000	
GD2	491818040	38732000 / 38732SH0 / 38505000 / 38505SH0	38736	0630XX-DALLY		490405145 / Albertoni EDAL018
Néant	38661	38505000 Skate Air / 38505SH0 Skate Air / 38732000 Skate Cosmo, dual flush / 38732SH0 Skate Cosmo, dual flush /	38736	0630XX-DALLY		

Appendix to the Certificate

Decision of renewal GROH dated 28/06/2023

Frame body

These products have the minimum characteristics defined in the standard: NF D 12-208 and into the technical(s) document(s) : DT017-17

Range	Commercial reference	Type of installation	Cistern reference	Control
RAPID SL	39144000	Applique	491818040	38732000 / 38732SH0 / 38505000 / 38505SH0
RAPID SL	39145000	Applique	491818040	38732000 / 38732SH0 / 38505000 / 38505SH0
RAPID SL	38340001	Applique	491818040	38505000 / 38505SH0 / 38732000 / 38732SH0 / 38844000 / 38844SH0
SOLIDO	39981000	Applique	491818040	38505000 / 38505SH0 / 38732000 / 38732SH0 / 38844000 / 38844SH0

Colours

Range	Commercial reference	GC	USURE
WHITE EURO CERAMIC	000	Glossy Clear	III
WHITE PROGUARD EURO CERAMIC	00H	Glossy Clear	III