

Certificate

SANITARY APPLIANCES

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company **KINGFISHER INTERNATIONAL PRODUCT FRANCE**

CS90024 TEMPLEMARS

FR-59637 WATTIGNIES

Brand : **COOKE & LEWIS**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal KINF dated 27/04/2023
This decision replaces decision KINF dated 30/01/2023

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

This certificate comprises 3 pages.

Correspondent :

Alexandra GOSSET
Tél. : (33) 01 64 68 82 84

Email : alexandra.gosset@cstb.fr

For CSTB

On behalf of the President



Florian RASSE

Appendix to the Certificate

Decision of renewal KINF dated 27/04/2023

Acrylic material baths

These products have the minimum characteristics defined in the standard: NF EN 14516; NF EN 198; NF EN 232; NF EN 263; NF D 11-121 and into the technical(s) document(s) : DT017-08; DT017-10; DT017-21

Range	Commercial reference	Cap.(l)	Mass (kg)	Width (mm)	Length (mm)
CALICIA	SA6855	205	29	1400	1400
CALICIA DE	SA6660	217	22	800	1800
CALICIA SE	SA6658	188	18	702	1700
IONAS SE	SA6661	218	19	750	1700

Equipped flushing cisterns

These products have the minimum characteristics defined in the standard: NF EN 14055; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-14

Range	Commercial reference	Control	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
Uriel Frame wall hung toilet pack NF_box 1	5063022098306	740-0580, 740-0680, 740-0780, 740-1100, 740-0700, 740-0500, 740-0500KF	436868	436706		

Frame body

These products have the minimum characteristics defined in the standard: NF D 12-208 and into the technical(s) document(s) : DT017-17

Range	Commercial reference	Type of installation	Cistern reference
ZAGAR	Néant	Universel	RESERVOIR COMPACT / CISTERN DIY

Appendix to the Certificate

Decision of renewal KINF dated 27/04/2023

PACK

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D12-101; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-12; DT017-14; DT017-15

Range	Commercial reference	WC pan reference	Cistern reference	Reference of toilet seat	REF_BATI	Stop valve ref.
C&L Uriel Universal fit wall hung toilet pack NF	5063022098290	7855	742-5802- 01KF	84-003R759	740-0500KF (GH) / 740- 0700KF (CL)	
Néant	JABI			PARVA MKW		
Uriel WH WC Bowl + seat 2/2	5059340392899	7855		84-003R759		