

Certificate

SANITARY APPLIANCES

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company **IDEAL STANDARD INTERNATIONAL - EGYPT SANITARY WARES Co**

117 EL THAWRA STREET - HELIOPOLIS

EG- LE CAIRE

Brand : **MISR ACRYLIC**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal MISR dated 24/10/2023
This decision replaces decision MISR dated 05/07/2023

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

This certificate comprises 4 pages.

Correspondent :

Alexandra GOSSET
Tél. : (33) 01 64 68 82 84

Email : alexandra.gosset@cstb.fr

For CSTB

On behalf of the President



Nicolas RUAUX

Appendix to the Certificate

Decision of renewal MISR dated 24/10/2023

Acrylic material baths

These products have the minimum characteristics defined in the standard: NF EN 14516; NF EN 198; NF EN 232; NF EN 263; NF D 11-121 and into the technical(s) document(s) : DT017-08; DT017-10; DT017-21

Range	Commercial reference	Cap.(l)	Mass (kg)	Width (mm)	Length (mm)
AIDA	209	165	19	700	1700
AIDA	255	155	17,5	700	1600
AIDA	76	150	16	700	1500
AIDA	229	130	15	700	1400
ANNE LAURE	244	190	23,5	1350	1350
BAHIA	206	190	24	900	1600
BAHIA	200	190	24	900	1600
CALYPSO	191			1400	1400
CAPRI	234			750	1600
CLEO	429	230	25	1500	1500
CLIFF	95			1490	1490
CLIFF	126			1400	1400
CONCERTO 2	P1172			750	1600
CONCERTO 2	P1173			750	1700
CONCERTO 2	P1176			1400	1400
CONCERTO 2	P1174	200	22	800	1700
CONCERTO 2	P1175	205	23	800	1800
CONCERTO 2	P1177	170	21	900	1600
CONCERTO 2	P1177	170	21	900	1600
CONCERTO 2	P1178	170	21	900	1600
CONTOUR	276	200	23	1250	1250
CRISTA	199	200	20	900	1800
ELBA	220	165	19	750	1600
ELBA	206	190	24	900	1600
ELBA	206			900	1600
ELBA	200			900	1600
ELBA	200	190	24	900	1600
ELLIPSE	231	160	18	750	1600
FLORA	289	165	19	700	1700
FLORIDA	157	175	20	750	1700
FLORIDE	220	165	19	750	1600
HAWAI	158	400	48	1800	1800
HEXAGONE	70			800	1700
HOEKBAD	276	200	23	1250	1250
ISIS	141			1400	1400
KRETA	244	190	23,5	1350	1350

Appendix to the Certificate

Decision of renewal MISR dated 24/10/2023

Range	Commercial reference	Cap.(l)	Mass (kg)	Width (mm)	Length (mm)
LIDO II	18			1400	1400
LUZERNE	320			800	1800
MANGO	802	170	21	750	1700
MANGO	803	160	18	750	1600
MANGO	805	180	24	800	1800
MANGO	804	260	27	900	1900
NABIS	311			750	1600
NABIS	310			750	1700
NEW FIDGI	407	155	24	900	1900
NEW STAR	334	165	19	750	1600
NEW STAR	331	180	20	750	1700
PRIMEO 2	T9565	125	16,5	700	1500
PRIMEO 2	T9564	120	15,5	700	1400
PRIMEO 2	T9567	145	18	700	1700
PRIMEO 2	T9566	135	17	700	1600
QUEEN	319			700	1700
SABOT	66	80	14	700	1050
SAN REMO	95			1490	1490
SAN REMO	126			1400	1400
SWING	281			1300	1300
SWING	278			1400	1400
TEQUILA	245	175	18	750	1600
TEQUILA	246	190	21	750	1700
TEQUILA	291	165	18	700	1600
TEQUILA	282	175	19	700	1700
TIP	182	21	180	750	1700
TRIANON	67	170	21	800	1800
TULIP	175			700	1700
TZIGANE	135			750	1600
TZIGANE	107			750	1700
ULYSSE	135			750	1600
ULYSSE	107			750	1700
VERSEAU	P1051	165	19	700	1700
VERSEAU	P1050	155	17,5	700	1600
VERSEAU	R0038	220	20,8	750	1700
VERSEAU	R0041	170	15,7	700	1500
VERSEAU	R0040	185	17,9	700	1600
VERSEAU	R0039	200	18,5	700	1700
ZAGARA	604	200	23	800	1800

Appendix to the Certificate

Decision of renewal MISR dated 24/10/2023

Acrylic material shower trays

These products have the minimum characteristics defined in the standard: NF EN 14527; NF EN 251; NF EN 249; NF EN 263 and into the technical(s) document(s) : DT017-10; DT017-21

Range	Commercial reference	Width (mm)	Length (mm)
HOOP	49	900	900
SHOWER TRAY SWITH PANEL	471	800	800
SHOWER TRAY SWITH PANEL	472	900	900

Colours

Range	Commercial reference	GC	USURE
AGAIS	6W17	Glossy Clear	
BEIGE	5W24	Glossy Clear	
BEIGE T.S.	40257	Glossy Medium	
BLUE BERMUDA	7W61	Glossy Medium	
EDELWHITE	1W26	Mat Clear	
GREY	9W67	Glossy Clear	
PERGAMON	1W91	Glossy Clear	
WHISPER BLUE	7W90	Glossy Clear	
WHISPER PINK	4W86	Glossy Clear	
WHITE	1W28	Glossy Clear	