

Certificate

SANITARY APPLIANCES

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company

SANI ACRYLIC

ELMOSHEER AHMED ISMAIL ST. SHERATON HELIOPOLIS

EG-11361 LE CAIRE

Brand :

SANI ACRYLIC

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal SANA dated 21/03/2023
This decision replaces decision SANA dated 03/03/2023

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

This certificate comprises 5 pages.

Correspondent :

Alexandra GOSSET
Tél. : (33) 01 64 68 82 84

Email : alexandra.gosset@cstb.fr

For CSTB

On behalf of the President



Florian RASSE

Appendix to the Certificate

Decision of renewal SANA dated 21/03/2023

Acrylic material baths

These products have the minimum characteristics defined in the standard: NF EN 14516; NF EN 198; NF EN 232; NF EN 263; NF D 11-121 and into the technical(s) document(s) : DT017-08; DT017-10; DT017-21

Range	Commercial reference	Cap.(l)	Mass (kg)	Width (mm)	Length (mm)
ACCESS CONFORT	SA5672	200	25	1400	1400
ACCESS CONFORT	SA5662	100	11	700	1050
ACCESS CONFORT	SA5671	190	23	1300	1300
ACCESS CONFORT	SA5663	109	12	700	1200
ACCESS CONFORT	SA5665	132	13	700	1400
ACCESS CONFORT	SA5666	140	14	700	1500
ACCESS CONFORT	SA5667	150	16	700	1600
ACCESS CONFORT	SA5668	170	18	700	1700
ACCESS CONFORT	SA5806	185	19,5	750	1700
ACCESS CONFORT DUO	SA5669	185	20	800	1800
ACCESS COMFORT 115x115	SA5670	109	19	1150	1150
ANUBIS	SA606	225.9	27.7	1400	1400
ATLANTE	SA5219	118	14	700	1400
ATLANTE	SA5218	129	15	700	1500
ATLANTE/TULIPANEOODELS	SA5216	141	17,2	700	1700
ATLANTE/TULIPANEOODELS	SA5217	133	16,4	700	1600
AUKLAND	SA607	180	21.5	1150	1150
BAIN ISLAND BERMUDA	SA5278	235	24,8	800	1800
BAIN ISLAND ST LUCIA	SA5276	215	20	800	1800
BOLMEN DE	SA6873	189	32	800	1801
BOLMEN SE	SA6872	192	30	750	1700
BRISE	SA578	180	19	750	1700
BRISE	SA568	191	22	800	1800
CALAIS	SA5272	192	25	800	1800
CAVALLY	SA6855	205	29	1400	1400
CAVALLY DE	SA6660	217	22	800	1800
CAVALLY LH	SA6853	195	25	900	1600
CAVALLY RH	SA6854	195	25	900	1600
CAVALLY SE	SA6658	188	18	702	1700
CAVALLY SE	SA6659	205	21	752	1700
CAVALLY SE	SA6657	174	16	700	1600
CAVALLY SE	SA6857	125	13,5	700	1300
CAVALLY SE	SA6858	140	14	700	1400
CAVALLY SE	SA6859	152	15	700	1500
CAVALLY SE	SA6860	185	19	750	1600
CAVALLY SE	SA6865	190	23	750	1700

Appendix to the Certificate

Decision of renewal SANA dated 21/03/2023

Range	Commercial reference	Cap.(l)	Mass (kg)	Width (mm)	Length (mm)
CONFORT	SA5485	172	24	750	1700
CUBA	SA606	225.9	27.7	1400	1400
HARMONY	SA5278	235	24,8	800	1800
HESTIA	SA5272	192	25	800	1800
IBIZA	SA995	210	25	1350	1350
ILOT OVALE	SA5276	215	20	800	1800
ILOT RECTANGULAIRE	SA5278	235	24,8	800	1800
LOFT	SA5276	215	20	800	1800
MALLORCA	SA105	165	22.5	1350	1350
MALTE	SA593	175	19.5	750	1700
MARINA LEFT	SA103	180	20.4	900	1600
MARINA RIGHT	SA104	175	20.4	900	1600
MONACO	SA513	160	19	750	1700
OSAKA	SA5276	215	20	800	1800
PALERMO D	SA104	175	20.4	900	1600
PALERMO G	SA103	180	20.4	900	1600
Repos SE / Selena / Omaha	SA 6068	102	12	700	1200
Repos SE / Selena / Omaha	SA 6094	115	13,5	700	1400
Repos SE / Selena / Omaha	SA 6095	125	14,5	700	1500
Repos SE / Selena / Omaha	SA 6096	160	16,5	750	1600
Repos SE / Selena / Omaha	SA 564	170	18	750	1700
SEATIN	SA659	170.8	27.7	750	1700
SEATIN	SA660	192	22.4	800	1800
SELMA	SA5272	192	25	800	1800
SOFA	SA5530	210	24,3	800	1800
SOPRANO	SA5530	210	24,3	800	1800
TABALUGASEE	SA54	149.6	23.9	750	1600
TABALUGASEE L	SA049	153	20	750	1600
TEESTA DE	SA 6662	220	22	800	1800
TEESTA LH	SA6866	165	22,5	900	1600
TEESTA RH	SA6867	165	23	900	1600
TEESTA SE	SA 6661	218	19	750	1700
TEESTA SE	SA6870	195	21	750	1600
TOKYO	SA5278	235	24,8	800	1800
TONGA	SA5272	192	25	800	1800
TULIPANO	SA5216	141	17,2	700	1700
TULIPANO	SA5217	133	16,4	700	1600
TULIPANO	SA5219	118	14	700	1400
TULIPANO	SA5218	129	15	700	1500

Appendix to the Certificate

Decision of renewal SANA dated 21/03/2023

Acrylic material shower trays

These products have the minimum characteristics defined in the standard: NF EN 14527; NF EN 251; NF EN 249; NF EN 263 and into the technical(s) document(s) : DT017-10; DT017-21

Range	Commercial reference	Width (mm)	Length (mm)
ALPHA	SA5531	900	900
ALPHA	SA5534	800	800
ALPHA	SA5532	800	1200
ALPHA	SA5533	900	1400
DELTA	5136	800	800
KEOPS	SA746	900	900
KHEOPS	SA745	800	800
KUBIK	SA5643	800	1600
KUBIK	SA5634	750	1400
KUBIK	SA5640	800	1200
KUBIK	SA5642	800	1500
KUBIK	SA5639	800	1000
KUBIK	SA5647	900	1700
Néant	SA5732	800	800
Néant	SA5733	900	900
OMEGA	SA5531	900	900
OMEGA	SA5534	800	800
OMEGA	SA5532	800	1200
OMEGA	SA5533	900	1400
OMEGA/ALPHA	SA5803	700	700
SHADOW	SA5386	900	900
SHADOW	SA5385	800	1200
SHADOW	SA5384	900	1200
SIGMA	SA5962	800	800
SIGMA	SA5531W	900	900
SIGMA	SA5961W	900	900
SIGMA	SA5965	800	1600
SIGMA	SA5534W	800	800
SIGMA	SA5534M	800	800
SIGMA	SA5803M	700	700
SIGMA	SA5961	900	900
SIGMA	SA5963	800	1000
SIGMA	SA5532M	800	1200
SIGMA	SA5533M	900	1400
SIGMA	SA5964	800	1400
SIGMA	SA5531M	900	900

Appendix to the Certificate

Decision of renewal SANA dated 21/03/2023

Range	Commercial reference	Width (mm)	Length (mm)
SQUARE SHOWER TRAY	SA706	1000	1000
WP	SA215	800	800
WP	SA241	700	700
WP	SA243	900	900
WP	SA269	800	800
WP	SA270	800	1200
WP	SA271	900	900
WP	SA273	800	900
WP	SA274	800	1000
WP	SA275	900	900

Colours

Range	Commercial reference	GC
EUROPEAN WHITE	Néant	Glossy Clear