

# Certificate

## SANITARY APPLIANCES

### Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

**The company**                      **KOHLER France**  
  
**30 Boulevard de la Bastille**  
  
**FR-75012 PARIS**  
**Brand :**                              **JACOB DELAFON**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal JDEL dated 17/04/2024  
This decision replaces decision JDEL dated 13/03/2024

Except in case of withdrawal, suspension or modification, this certificate is valid.  
This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

## CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

**This certificate comprises 16 pages.**

**Correspondent :**

Alexandra GOSSET  
Tél. : (33) 01 64 68 82 84

Email : alexandra.gosset@cstb.fr

For CSTB  
On behalf of the President



Florian RASSE

**Appendix to the Certificate**

Decision of renewal JDEL dated 17/04/2024

## Sanitary ceramic washbasins

These products have the minimum characteristics defined in the standard: NF EN 14688; NF EN 31; NF D11-201; NF D11-101; NF D14-601; NF D12-210 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Model	Width (mm)
BRIVE	E1286	Pedestal washbasin	600
BRIVE	E1282F	Wall-hung washbasin	540
BRIVE	E1288	Wall-hung washbasin	600
DELTA	ESA01		525
DELTA	EVH001	Vanity basin	510
DIVERS VASQUE	E1273	Built-in toilet washbasin	630
ODEON	E1061	Built-in toilet washbasin	560
ODEON RIVE GAUCHE	EXAT112	Wall-hung washbasin	512
ODEON RIVE GAUCHE	EXAT112-Z	Wall-hung washbasin	512
ODEON RIVE GAUCHE	EXAU112	Wall-hung washbasin	512
ODEON RIVE GAUCHE	EXAU112-Z	Wall-hung washbasin	512
ODEON RIVE GAUCHE	EXAW112	Wall-hung washbasin	512
ODEON RIVE GAUCHE	EXAW112-Z	Wall-hung washbasin	512
ODEON RIVE GAUCHE	EXBA112	Wall-hung washbasin	512
ODEON RIVE GAUCHE	EXBA112-Z	Wall-hung washbasin	512
ODEON RIVE GAUCHE	EGN112	Wash-hand basin	450
ODEON RIVE GAUCHE	EGO112-55	Wash-hand basin	500
ODEON RIVE GAUCHE	EGO112-56	Wash-hand basin	500
ODEON RIVE GAUCHE	EXAV112	Wall-hung washbasin	910
ODEON RIVE GAUCHE	EXAV112-Z	Wall-hung washbasin	910
ODEON RIVE GAUCHE	EXAX112	Wall-hung washbasin	710
ODEON RIVE GAUCHE	EXAX112-Z	Wall-hung washbasin	710
ODEON RIVE GAUCHE	EGP112	Wash-hand basin	340
ODEON UP	E4701	Wash-hand basin	500
ODEON UP	E4701L	Wash-hand basin	500
ODEON UP	E4701R	Wash-hand basin	500
ODEON UP	E4756	Built-in toilet washbasin	560
ODEON UP	E4758	Toilet installation surface	650
ODEON UP	E4757	Toilet installation surface	650
ODEON UP	E4733	Wash-hand basin	481
ODEON UP	E4754	Wall-hung washbasin	670
ODEON UP	E4710	Angle washbasin	707
ODEON UP	E4700	Wall-hung washbasin	600
ODEON UP	E4736	Wall-hung washbasin	600
ODEON UP	E4737	Wall-hung washbasin	560
ODEON UP	E4760	Wash-hand basin	450

**Appendix to the Certificate**

Decision of renewal JDEL dated 17/04/2024

Range	Commercial reference	Model	Width (mm)
ODEON UP	E4761	Wash-hand basin	360
ODEON UP	E4799C-X5	Wash-hand basin	400
ODEON UP	E4799G	Wash-hand basin	400
ODEON UP	E4495	Wall-hung washbasin	700
ODEON UP	E4495-X5	Wall-hung washbasin	700
ODEON UP	E4755	Wall-hung washbasin	560
ODEON UP	E4494-X5	Wall-hung washbasin	740
OVE	E1567	Wash-hand basin	460
PATIO	E4159	Wall-hung washbasin	600
PATIO	E4159-X5	Wall-hung washbasin	600
PATIO	E1998	Wall-hung washbasin	660
PATIO	E4155	Built-in toilet washbasin	560
PATIO	E4158	Wall-hung washbasin	550
PATIO	E4158-X5	Wall-hung washbasin	550
PATIO	E4152	Wash-hand basin	450
PATIO	E4148	Angle washbasin	500
STRUKTURA	EXI112	Wall-hung washbasin	600
STRUKTURA	EXH112	Wall-hung washbasin	800
STRUKTURA	EGH011	Wash-hand basin	450
STRUKTURA	EGH111	Wash-hand basin	450
STRUKTURA	EGH111-Z	Wash-hand basin	450
STRUKTURA	EGH112	Wash-hand basin	450
STRUKTURA	EGH112-Z	Wash-hand basin	450
STRUKTURA	EGC111	Wall-hung washbasin	650
STRUKTURA	EGC111-Z	Wall-hung washbasin	650
STRUKTURA	EGC112	Wall-hung washbasin	650
STRUKTURA	EGC112-Z	Wall-hung washbasin	650
STRUKTURA	EGC011	Wall-hung washbasin	650
STRUKTURA	EGD011	Wall-hung washbasin	600
STRUKTURA	EGD111	Wall-hung washbasin	600
STRUKTURA	EGD111-Z	Wall-hung washbasin	600
STRUKTURA	EGD112	Wall-hung washbasin	600
STRUKTURA	EGD112-Z	Wall-hung washbasin	600
STRUKTURA	EGG011	Wall-hung washbasin	600
STRUKTURA	EGG111	Wall-hung washbasin	600
STRUKTURA	EGG111-Z	Wall-hung washbasin	600
STRUKTURA	EGG112	Wall-hung washbasin	600
VISA	E1291	Built-in toilet washbasin	560
VOX	EXAE112	Wall-hung washbasin	810
VOX	EXAE112-Z	Wall-hung washbasin	810

## Appendix to the Certificate

Decision of renewal JDEL dated 17/04/2024

Range	Commercial reference	Model	Width (mm)
VOX	EXAF112	Wall-hung washbasin	610
VOX	EXAF112-Z	Wall-hung washbasin	610

## Sanitary ceramic bidets

These products have the minimum characteristics defined in the standard: NF EN 14528; NF EN 35; NF D 11-107, NF D11-107; ND D14-601

Range	Commercial reference	Width (mm)	Length (mm)	Wall-hung
BRIVE	E4382	355	500	
ODEON RIVE GAUCHE	EMG0002	362	540	Yes
ODEON UP	E4765	365	540	Yes
ODEON UP	E4798	365	570	No
ODEON UP	E4738	365	570	No
OVE	E1586	360	540	Yes
PATIO	E4189	365	535	Yes
PATIO	EBB0001	356	535	No
REPLAY	E4834	365	540	Yes
REPLAY	E4777	365	570	No
STRUKTURA	EBC0001	340	540	No
STRUKTURA	EBC0002	340	540	No
STRUKTURA	EMC0001	340	540	Yes
STRUKTURA	EMC0002	340	540	Yes

## Vitreous enamelled material baths

These products have the minimum characteristics defined in the standard: NF EN 14516; NF EN 232; NF D 11-112; NF D14-602; NF D14-603 and into the technical(s) document(s) : DT017-08; DT017-21

Range	Commercial reference	Material	Cap.(l)	Width (mm)	Length (mm)	Thickness
DIAPASON	E2937	Enamelled cast iron	170	750	1700	
DIAPASON avec poignées	E2926	Enamelled cast iron	170	750	1700	
MELANIE	E2925	Enamelled cast iron	152	700	1700	

**Appendix to the Certificate**

Decision of renewal JDEL dated 17/04/2024

Range	Commercial reference	Material	Cap.(l)	Width (mm)	Length (mm)	Thickness
MELANIE	E2935	Enamelled cast iron	139	700	1600	
REPOS	E2918	Enamelled cast iron	139	800	1700	
REPOS	E2929	Enamelled cast iron	115	750	1600	
REPOS avec poignées	E2915	Enamelled cast iron	139	800	1700	
SOISSONS	E2921	Enamelled cast iron	158	700	1700	
SOISSONS	E2931	Enamelled cast iron	145	700	1600	
SOISSONS	E2941	Enamelled cast iron	141	700	1500	

## Acrylic material baths

These products have the minimum characteristics defined in the standard: NF EN 14516; NF EN 198; NF EN 232; NF EN 263; NF D 11-121 and into the technical(s) document(s) : DT017-08; DT017-10; DT017-21

Range	Commercial reference	Cap.(l)	Mass (kg)	Width (mm)	Length (mm)
BASTILLE	E6D210-00	165	15	700	1600
BASTILLE	E6D211-00	175	16	700	1700
BASTILLE	E6D212-00	190	17,5	750	1700
BASTILLE	E6D213-00	220	20	800	1800
CORVETTE 3	E60901	166	15	754	1700
CORVETTE 3	E60902	150	14,5	705	1700
CORVETTE 3	E60903	140	13,5	702	1600
CORVETTE 3	E60904	128	13	701	1500
CORVETTE 3	E60900	195	19	804	1798
CORVETTE 3 170X80	E60905	180	16	800	1698
ODEON UP	E6049	205	17,5	755	1700
ODEON UP	E6D232-00	205	17,5	755	1700
ODEON UP	E6080	185	16,5	705	1702
ODEON UP	E6D233-00	185	16,5	705	1702
ODEON UP	E6057	190	16	755	1600
ODEON UP	E6D234-00	190	16	755	1600
ODEON UP	E6060	155	15,5	700	1498
ODEON UP	E6D235-00	155	15,5	700	1498

**Appendix to the Certificate**

Decision of renewal JDEL dated 17/04/2024

Range	Commercial reference	Cap.(l)	Mass (kg)	Width (mm)	Length (mm)
ODEON UP	E6065	170	17	900	1600
ODEON UP	E6081	170	17	900	1600
ODEON UP	E6048	245	21	803	1800
ODEON UP	E6D231-00	245	21	803	1800
SOFA	E60515	236	18	754	1700
SOFA	E60516	241	23	803	1800
SOFA	E60517	197	15,5	704	1600
SOFA	E60518	220	17,5	702	1695
SOFA	E60520	244	20	752	1797
SOFA	E60521	184	15	700	1498
SOFA BAIN DOUCHE	E6D087L	220	19,5	849	1597
SOFA BAIN DOUCHE	E6D087R	220	19,5	849	1597
SOFA BAIN DOUCHE	E6D088R	235	21	849	1696
SOFA BAIN DOUCHE	E6D088L	235	21	849	1696
STRUKTURA	E6D020	180	16,5	705	1700
STRUKTURA 170X75	E6D021	192	17,5	753	1695

## Synthetic material baths

These products have the minimum characteristics defined in the standard: NF EN 14516; NF EN 15719; NF EN 232 and into the technical(s) document(s) : DT017-08; DT017-10 ; DT017-20; DT017-21

Range	Commercial reference	Width (mm)	Length (mm)	Cap.(l)	Mass (kg)
CORVETTE 3	E60900	804	1798	195	19
CORVETTE 3	E60901	753	1697	166	15
CORVETTE 3	E60902	705	1700	150	14,5
CORVETTE 3	E60903	702	1600	140	13,5
CORVETTE 3	E60904	701	1500	128	13
CORVETTE 3	E60905	800	1698	180	15,5

## Appendix to the Certificate

Decision of renewal JDEL dated 17/04/2024

### Acrylic material shower trays

These products have the minimum characteristics defined in the standard: NF EN 14527; NF EN 251; NF EN 249; NF EN 263 and into the technical(s) document(s) : DT017-10; DT017-21

Range	Commercial reference	Width (mm)	Length (mm)	Option Slipperiness
AEROBLOC	E62101	802	802	
AEROBLOC	E62102	902	902	
AEROBLOC	E62103	802	1002	
AEROBLOC	E62104	802	1202	
AEROBLOC	E62105	902	1202	
AEROBLOC	E62106	802	1402	
AEROBLOC	E62107	902	1402	

### Vitreous enamelled shower trays

These products have the minimum characteristics defined in the standard: NF EN 14527; NF EN 251; NF D11-124; NF D14-601 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Width (mm)	Length (mm)	Option Slipperiness
KYREO	EN107	900	900	
KYREO	EN100	700	700	
KYREO	EN111	700	900	
KYREO	EN112	700	1000	
KYREO	EN134	900	900	
KYREO	EN127	800	1200	
KYREO	EN130	700	700	
KYREO	EN133	800	800	
KYREO	EN113	700	1200	
KYREO	EN163	800	800	
KYREO	ENA60	700	700	
KYREO	ENB90	800	800	
KYREO	ENC90	900	900	
KYREO	ENE90	700	900	
KYREO	ENF90	800	1000	
KYREO	ENG90	800	1200	
KYREO	EN130	700	700	
KYREO	EN133	800	800	
KYREO	ENN90	700	1000	
KYREO	ENO90	700	1200	
KYREO	ENP902	900	1200	

## Appendix to the Certificate

Decision of renewal JDEL dated 17/04/2024

Range	Commercial reference	Width (mm)	Length (mm)	Option Slipperiness
KYREO	ENP903	900	1200	
ODEON UP	N108K	750	900	
ODEON UP	N125K	900	900	
ODEON UP	N123K	1000	1000	
REPLAY	N144K	80	120	
REPLAY	N140K	900	900	

## Synthetic material shower trays

These products have the minimum characteristics defined in the standard: NF EN 14527; NF EN 15720; NF EN 251; NF EN 249 and into the technical(s) document(s) : DT017-10; DT017-20; DT017-21

Range	Commercial reference	Width (mm)	Length (mm)	Option Slipperiness
AEROBLOC	E62101	802	802	
AEROBLOC	E62102	902	902	
AEROBLOC	E62103	802	1002	
AEROBLOC	E62104	802	1202	
AEROBLOC	E62105	902	1202	
AEROBLOC	E62106	802	1402	
AEROBLOC	E62107	902	1402	

## Enamelled material products for municipal services

These products have the minimum characteristics defined in the standard: NF EN 13407; NF EN 14296; NF EN 80; NF D 11-130; NF D14-601 and into the technical(s) document(s) : DT017-16

Range	Commercial reference	Model
BOURGUIGNON 2	E1491	Seatless lavatory
COQUILLE	E0399	Urinal
COQUILLE 2	E1519	Urinal
DUO	EN290	'Collective' washbasins



**Appendix to the Certificate**

Decision of renewal JDEL dated 17/04/2024

## Sanitary ceramic WC pans using less than 7 litres

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D 12-101 and into the technical(s) document(s) : DT017-12

Range	Commercial reference	Model	Cistern reference	Outlet
BASTILLE	EDAB102	Wall-hung, independent supply, direct flushing		Horizontale
BRIVE	E4380	Pedestal, close-coupled cistern, direct flushing	E4269 / E4452	Horizontale
BRIVE	E4455	Pedestal, independent supply, direct flushing		Horizontale
BRIVE	E4381	Pedestal, close-coupled cistern, direct flushing	E4452	Verticale
BRIVE	E1730	Pedestal, close-coupled cistern, direct flushing	E4452	Horizontale
BRIVE ECO	UJAE101	Pedestal, close-coupled cistern, direct flushing	E4452	Horizontale
BRIVE+	E4345	Wall-hung, independent supply, direct flushing		Horizontale
ODEON	UJF111	Pedestal, close-coupled cistern, direct flushing	130113 / ETJ111	Horizontale
ODEON	E1195	Wall-hung, independent supply, direct flushing		Horizontale
ODEON	E1195-Y1	Wall-hung, independent supply, direct flushing		Horizontale
ODEON RIVE GAUCHE	EDR002	Wall-hung, independent supply, direct flushing		Horizontale
ODEON RIVE GAUCHE	EDR102	Wall-hung, independent supply, direct flushing		Horizontale

**Appendix to the Certificate**

Decision of renewal JDEL dated 17/04/2024

Range	Commercial reference	Model	Cistern reference	Outlet
ODEON UP	4956CK / 4956K	Pedestal, close-coupled cistern, direct flushing	E4708 / E4740	Horizontale
ODEON UP	E4764	Wall-hung, independent supply, direct flushing		Horizontale
ODEON UP	UJAG101	Pedestal, close-coupled cistern, direct flushing	E4708 / E4740	Horizontale
ODEON UP	4966K / 4966CK	Pedestal, close-coupled cistern, direct flushing	E4708 / E4740	Horizontale
PATIO	E1534	Wall-hung, independent supply, direct flushing		
PATIO	E1534-Y1	Wall-hung, independent supply, direct flushing		
PATIO	E4187 / E4187G	Wall-hung, independent supply, direct flushing		Horizontale
PATIO	EDV001	Wall-hung, independent supply, direct flushing		Horizontale
PATIO	EDV101	Wall-hung, independent supply, direct flushing		Horizontale
PATIO	EDV102	Wall-hung, independent supply, direct flushing		Horizontale
PATIO	UJV101	Pedestal, close-coupled cistern, direct flushing	ETB111 / ETB211	Horizontale
PATIO	UJV102	Pedestal, close-coupled cistern, direct flushing	ETB111 / ETB211	Horizontale
PATIO	UJW101	Pedestal, close-coupled cistern, direct flushing	ETB111 / ETB211	Verticale
STRUKTURA	EDE001	Wall-hung, independent supply, direct flushing		Horizontale

**Appendix to the Certificate**

Decision of renewal JDEL dated 17/04/2024

Range	Commercial reference	Model	Cistern reference	Outlet
STRUKTURA	EDE101	Wall-hung, independent supply, direct flushing		Horizontale
STRUKTURA	EDE102	Wall-hung, independent supply, direct flushing		Horizontale
STRUKTURA	EDF101	Wall-hung, independent supply, direct flushing		Horizontale
STRUKTURA	EDF102	Wall-hung, independent supply, direct flushing		Horizontale
STRUKTURA	UJH101	Pedestal, close-coupled cistern, direct flushing	ETE211 / ETE111	Verticale
STRUKTURA	UJX101	Pedestal, close-coupled cistern, direct flushing	ETE211 / ETE111	Horizontale
STRUKTURA	UJX102	Pedestal, close-coupled cistern, direct flushing	ETE211 / ETE111	Horizontale
STRUKTURA	UJI101	Pedestal, close-coupled cistern, direct flushing	ETE111 / ETE211	Horizontale

## Equipped flushing cisterns

These products have the minimum characteristics defined in the standard: NF EN 14055; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-14

Range	Commercial reference	Control	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
BRIVE	E4452		SIAMP OPTIMA 49	SIAMP COMPACT 95L	E4380 /E4381 /E1730	
NOUVEAU EOLIA	E4269		SIAMP OPTIMA 49	SIAMP COMPACT 95L	E4380	
ODEON	ETJ111		SIAMP OPTIMA 49	SIAMP COMPACT 95L	UJF111	

**Appendix to the Certificate**

Decision of renewal JDEL dated 17/04/2024

Range	Commercial reference	Control	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
ODEON UP	E4708		SIAMP OPTIMA 49	SIAMP COMPACT 95L	4956 (C)K / 4966(C)K	
ODEON UP	E4740		SIAMP OPTIMA 49	SIAMP COMPACT 99B	4956 (C)K / 4966 (C)K	
ODEON UP	E4745F / E4745		SIAMP OPTIMA 49	SIAMP COMPACT 95L	4957K	
ODEON UP	E4742F / E4742		SIAMP OPTIMA 49	SIAMP COMPACT 99B	4957K	
PATIO	ETB111		SIAMP OPTIMA 49	SIAMP COMPACT 95L	UJV101 / UJV102 / UJW101	
PATIO	ETB211		SIAMP OPTIMA 49	SIAMP COMPACT 99B	UJV101 / UJV102 / UJW101	
STRUKTURA	ETE211		SIAMP OPTIMA 49	SIAMP COMPACT 99B	UJX101 / UJX102 / UJH101 / UJI101	
STRUKTURA	ETE111		SIAMP OPTIMA 49	SIAMP COMPACT 95L	UJH101 / UJI101 / UJX101	

## Frame body

These products have the minimum characteristics defined in the standard: NF D 12-208 and into the technical(s) document(s) : DT017-17

Range	Commercial reference	Type of installation	Cistern reference	Control
Néant	E24155-NF	Universel	OLI 120 PLUS / MONTUS C120 / AI103	IPLATE / P100 / KARISMA / SALINA / COLOUR (E20859), PUNT (E20858), SLIM (E4316), RIA DD, E20858-CP, E20858-00

**Appendix to the Certificate**

Decision of renewal JDEL dated 17/04/2024

Range	Commercial reference	Type of installation	Cistern reference	Control
Néant	E29395-00	Universel	OLI 120 PLUS / MONTUS C120 / AI103	IPLATE / P100 / KARISMA / SALINA / COLOUR (E20859), PUNT (E20858), SLIM (E4316), RIA DD, E20858-CP, E20858-00
Néant	E29395-CP	Universel	OLI 120 PLUS / MONTUS C120 / AI103	IPLATE / P100 / KARISMA / SALINA / COLOUR (E20859), PUNT (E20858), SLIM (E4316), RIA DD, E20858-CP, E20858-00
Néant	E4311	Universel	OLI 120 PLUS / MONTUS C120 / AI103	IPLATE / P100 / KARISMA / SALINA / COLOUR (E20859), PUNT (E20858), SLIM (E4316), RIA DD, E20858-CP, E20858-00
Néant	E34159-00	Applique	AI103	E20858-00
Néant	E34195-NF	Applique	AI103	

## Vitreous enamelled sinks

These products have the minimum characteristics defined in the standard: NF EN 13310; NF EN 695; NF D 13-101; NF D13-101; NF D14-601; DT017-21

Range	Commercial reference	Width (mm)	Length (mm)
DELTA	ESA01	405	510

**Appendix to the Certificate**

Decision of renewal JDEL dated 17/04/2024

**PACK**

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D12-101; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-12; DT017-14; DT017-15

Range	Commercial reference	WC pan reference	Cistern reference	Reference of toilet seat	REF_BATI	Stop valve ref.
BASTILLE	EDAB134	EDAB102		ODEON RIVE GAUCHE ABATTANT SLIM SC&QR / E24889		
BRIVE	E22751	E1730	E4452	KOHLER (E4357G) / HAMBERGER (532353)		
BRIVE	E22751	E1730	E4452	KOHLER (E4357G) HAMBERGER (532353)		
BRIVE 3	E0383	E4380	E4452	CUBA LIGHT 3020694		
NOUVEAU EOLIA	E0403	E4380	E4269	CUBA LIGHT-3020941		
ODEON PMR	E8353	UJF111	ETJ111	3011577		
ODEON Rive Gauche	EDR112	EDR102		E24888		
ODEON Rive Gauche	EDR132	EDR102		E24889		
ODEON UP	E0373	18557K	E4718	E70009		
ODEON UP	E0520	4956K	E4708	3011495		
ODEON UP	E0521	4956K	E4708	3014563		
ODEON UP	E0523	4966K	E4708	3011495		
ODEON UP	E0374	18557K	E4708	E70009		
ODEON UP	E0524	4957K	E4745F	3011496		
ODEON UP	E0525	4957K	E4742F	3014563		
ODEON UP	E22769	UJAG101	E4708	KOHLER (3011495) / HAMBERGER 526829		
ODEON UP	E22770	UJAG101	E4708	KOHLER (3014563) / HAMBERGER 526825		

**Appendix to the Certificate**

Decision of renewal JDEL dated 17/04/2024

Range	Commercial reference	WC pan reference	Cistern reference	Reference of toilet seat	REF_BATI	Stop valve ref.
ODEON UP	E25851	UJAG101	E4708	KOHLER (8322K) / HAMBERGER (533194)		
PATIO	EDV134	EDV101		E23157		
PATIO	EDV114	EDV101		E4303		
PATIO	E29393	EDV101		E4303	E29395	
STRUKTURA	EDE112	EDE101		E4270		
STRUKTURA	EDE122	EDE101		E70024		
STRUKTURA	E29394	EDE101		E70024	E29395	
STRUKTURA	E76003	UJX101	ETE111	STRUKTURA Standard ref 3025050 (E4270)		
STRUKTURA	E76008	UJX 101	ETE111	STRUKTURA à descente progressive réf 3025051 (E70024)		
STRUKTURA	E76009	UJH101	ETE111	STRUKTURA Standard réf 3025050 (E4270)		
STRUKTURA	E76021	UJH101	ETE111	STRUKTURA à descente progressive ref 3025051 (E70024)		
STRUKTURA	E20491	UJI101	ETE111	STRUKTURA compact extra-plat à descente progressive ref E70025		

**Appendix to the Certificate**

Decision of renewal JDEL dated 17/04/2024

Colours

Range	Commercial reference	GC	USURE
BLANC	00	Glossy Clear	III
BLANC	00	Glossy Clear	III
BLANC	20684/1W28	Glossy Clear	
BLANC	00	Glossy Clear	III
BLANC ANTIDERAPANT	220	Mat Clear	III
BLEU CIEL	6B	Glossy Clear	III
CALISSON	4J	Mat Clear	III
CAYENNE	A2	Mat Clear	
GRIS CELESTE	1U	Glossy Clear	III
JAUNE	JA	Glossy Clear	III
PECHE CELESTE	5U	Glossy Clear	III
PERGAMON	5M	Glossy Clear	III
PERGAMON	5M	Glossy Clear	
ROSE CELESTE	5J	Glossy Clear	III
ROSE SUNSET	5V	Glossy Clear	III
SABLE	50	Glossy Clear	III
SIERRA	95	Mat Clear	
VERT D'EAU	9D	Glossy Clear	III