

Certificate

SANITARY APPLIANCES

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company **LECICO EGYPT E.S.A.E.**

KHORSHID AL-BAHARIA, ALEX./CAIRO OLD AGRI. RD. - BOX 358

EG- ALEXANDRIA

Brand : **LECICO**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal LECEI dated 17/04/2024
This decision replaces decision LECEI dated 19/10/2023

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

This certificate comprises 9 pages.


Correspondent :

Alexandra GOSSET
Tél. : (33) 01 64 68 82 84

Email : alexandra.gosset@cstb.fr

For CSTB

On behalf of the President



Florian RASSE

Appendix to the Certificate

Decision of renewal LECI dated 17/04/2024

Sanitary ceramic washbasins

These products have the minimum characteristics defined in the standard: NF EN 14688; NF EN 31; NF D11-201; NF D11-101; NF D14-601; NF D12-210 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Model	Width (mm)
Amalphi Washbasin(1TH) 55 cm	FS11301A100000	Wall-hung washbasin	550
Amalphi WB (1TH) 60 cm	FS11301B100000	Wall-hung washbasin	600
ATLAS PROFESSIONAL WB 55CM	263.B1550	Wall-hung washbasin	550
CELINE	81310012/N2B1	Pedestal washbasin	600
COOKIE	FS10Z818EF	Toilet washbasin	440
DROP IN 55 CM	261.v1.550	Built-in toilet washbasin	550
SAVAL 2.0	7G1160	Wall-hung washbasin	600

Sanitary ceramic bidets

These products have the minimum characteristics defined in the standard: NF EN 14528; NF EN 35; NF D 11-107, NF D11-107; ND D14-601

Range	Commercial reference	Width (mm)	Length (mm)	Wall-hung
MALAGA	FS10H4111	360	545	No

Sanitary ceramic WC pans using less than 7 litres

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D 12-101 and into the technical(s) document(s) : DT017-12

Range	Commercial reference	Model	Cistern reference	Outlet
143	143001	Pedestal, close-coupled cistern, direct flushing	FS10L3132B	Horizontale
ATLAS	81343012/TC1	Pedestal, close-coupled cistern, direct flushing	81356012/207 ; FS1103132B FS14A3132B;FS14C3132B; 81363012;81356012/207T2; 4E1610	Horizontale
ATLAS GEO	129C.W.H	Wall-hung, independent		Horizontale

Appendix to the Certificate

Decision of renewal LECI dated 17/04/2024

Range	Commercial reference	Model	Cistern reference	Outlet
		supply, direct flushing		
ATLAS GEO RIMLESS	258 C3W.H	Wall-hung, independent supply, direct flushing		Horizontale
BALA WCP	238C1	Pedestal, close-coupled cistern, direct flushing	NEON FS14C3132B	Horizontale
CLIFTON RIMLESS	295C1	Pedestal, close-coupled cistern, direct flushing	131T	Horizontale
CLIFTON WCP	129C1	Pedestal, close-coupled cistern, direct flushing	131T	Horizontale
ELEMENT WCP	238C1	Pedestal, close-coupled cistern, direct flushing	NAPLES FS14C2D102	Horizontale
FS15Q25	C065-10	Wall-hung, independent supply, direct flushing		Horizontale
FUSION	FS14X213	Pedestal, close-coupled cistern, direct flushing	FS14X3132B	Horizontale
GEO RIMLESS JOKER WCWH	112MA00	Wall-hung, independent supply, direct flushing		HORIZONTAL
LAGUNA	208C2PS	Pedestal, close-coupled cistern, direct flushing	FT1;FS1313132B	Horizontale
LAGUNA WC.S	208C2P.S	Pedestal, close-coupled cistern, direct flushing	FS1313131B	Verticale
MALAGA	89201001/110C1	Pedestal, close-coupled cistern, direct flushing	81393012/103T2; FS10F3132B	Horizontale
MARBELLA	FS134211	Pedestal, close-coupled cistern, direct flushing	FS1343132B-FS10L3132B	Horizontale

Appendix to the Certificate

Decision of renewal LECI dated 17/04/2024

Range	Commercial reference	Model	Cistern reference	Outlet
NEW ATLAS GEO	260 C.W/H	Wall-hung, independent supply, direct flushing		Horizontale
NEW SORAYA	216C1	Pedestal, close-coupled cistern, direct flushing	211C1, FS1043132B, 81350012/Q1T1	Horizontale
NEW SYDNEY	5BC2W/H	Wall-hung, independent supply, direct flushing		Horizontale
PERTH	257 C.W/H	Wall-hung, independent supply, direct flushing		Horizontale
RIMLESS X2 WC WH	279.C2 w/h	Wall-hung, independent supply, direct flushing		Horizontale
SAVAL 2.0	7G06001	Wall-hung, independent supply, direct flushing		Horizontale
SORAYA	81340012/202C1	Pedestal, close-coupled cistern, direct flushing	81344012; FS14431321	SH
SORAYA DOC	FS147212	Pedestal, close-coupled cistern, direct flushing	FS14C3132B	Horizontale
SORAYA DOC WC	FS147212	Pedestal, close-coupled cistern, direct flushing	FS1043132B	Horizontale
SORAYA SUSPENDUE	81240011/202WC1	Wall-hung, independent supply, direct flushing		Horizontale
SORAYA WC S	FS15022000	Pedestal, close-coupled cistern, direct flushing	FS1043132B	Verticale
SYDNEY	FS14B251	Wall-hung, independent		Horizontale

Appendix to the Certificate

Decision of renewal LECI dated 17/04/2024

Range	Commercial reference	Model	Cistern reference	Outlet
		supply, direct flushing		

Equipped flushing cisterns

These products have the minimum characteristics defined in the standard: NF EN 14055; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-14

Range	Commercial reference	Control	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
1851	FS10L3132B		SIAMP 36A	SIAMP 95L	143001-FS134211	
ATLAS	81356012/207 T2		OLIVEIRA S9	OLIVEIRA UNI F	81343012/TC1	
ATLAS	81363012		OLICD100852462	OLICD100852462	81343012/TC1	
ATLAS	FS1103132B		SIAMP 36A	SIAMP 95L	81343012/TC1	
ATLAS	FS11031322		OLICD 300852481	OLICD 300852481	81343012/TC1	
CELINE	81344012		OLICD 300852481	OLICD 300852481	81340012/202C1	
CELINE	FS14431321		OLICD 100852462	OLICD 100852462	81340012/202C1	
FUSION	FS14X3132B		SIAMP 36A	SIAMP 95L	FS14X213	
GARDENIA	FS1043132B		SIAMP 49	SIAMP 95L COMPACT	216C1 / FS147212 / FS15022000	
GARDENIA	81350012/Q1T1		OLIVEIRA S9	OLIVEIRA UNI F	216C1;81390512;FS14821	
LAGUNA	FT1		OLIVEIRA OF 81652 COD 52447	OLIVEIRA	208C2PS	
LAGUNA	FS1313132B		SIAMP 36A	SIAMP 95L	208C2PS	
LAGUNA	FS1313131B		SIAMP OPTIMA 49	SIAMP COMPACT 99B	208C2.P.S	
MALAGA	FS10F3132B		SIAMP 36A	SIAMP 95L	89201001/110C1	
MALAGA/TOSCANA	81393012/103 T2		OLIVEIRA OF81652COD52447	OLIVEIRA	89201001/110C1	

Appendix to the Certificate

Decision of renewal LECI dated 17/04/2024

Range	Commercial reference	Control	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
NAPLES	FS14K3132B		SIAMP OPTIMA 49	SIAMP 95L COMPACT	FS14C2D102	
NAPLES	FS14K3132B		A2706	A1420A	238C1	
NEON	FS14C3132B		OPTIMA 49	SIAMP 95L COMPACT	238C1	
NEON	FS14C3132B		A2706	A1420A	238C1	
NEW SORAYA	211C1		OLIVEIRA OF 8110COD508402	OLIVEIRA	216C1	
SENNER	131T		SIAMP SKIPPER 36A	SIAMP COMPACT 95L	129C1	
SENNER	131T		OPTIMA 49	SIAMP 95L COMPACT	129C1	
SENNER	131T		A2706	A1420A	129C1 / 295C	
VENEZIA	FS14A3132B		SIAMP 36A	SIAMP 95L	81343012/TC1 / 4E4510	
VENEZIA	81356012/207		OLIVEIRA S9	OLIVEIRA UNI F	81343012/TC1	

PACK

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D12-101; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-12; DT017-14; DT017-15

Range	Commercial reference	WC pan reference	Cistern reference	Reference of toilet seat	REF_BATI	Stop valve ref.
ALABAMA I S-D	FS1PKC36	81343012/TC1	FS14C3132B	ORLY		
ALABAMA I S-S	FS1PKC19	81343012/TC1	FS14C3132B	MC2		
ALABAMA II S-D	FS1PKC37	81343012/TC1	FS14C3132B	ORLY		
ALABAMA II S-S	FS1PKC23	81343012/TC1	FS14C3132B	MC2		
ATLAS GEO RIMLESS WH PACK	FS1112UAOA	258 C3W.H		ELEGANCE SLIM		
BALA	5059340106885	238C1	FS14C3132B	MC2		

Appendix to the Certificate

Decision of renewal LECI dated 17/04/2024

Range	Commercial reference	WC pan reference	Cistern reference	Reference of toilet seat	REF_BATI	Stop valve ref.
BERLIOZ S-D	FS1PKC4	81343012/TC1	FS14C3132B	ORLY		
BERLIOZ S-S	FS1PKC21	81343012/TC1	FS14C3132B	MC2		
CLIFTON	FS1PKW82	129C1	131T	MC2		
CLIFTON PACK	FS1PKWC95	129C1	131T	OCEAN		
CLIFTON RIMLESS PACK	FS1PKWC28	Clifton Rimless 295C	131T	10009001		
CLIFTON RIMLESS PACK	FS1PKW9A5	Clifton Rimless 295C	131T	MC2		
CLIFTON RIMLESS PACK	FS1PKWC29	Clifton Rimless 295C	131T	530198		
CLIFTON RIMLESS PACK	FS1PKWC98	295C	131T	OCEAN		
Clifton Rimless WC P PACK	FS1PKWF68	295C1	FS14K3132B	MC2		
Clifton Rimless WC P PACK	FS1PKWF69	295C1	FS14C3132B	MC2		
Clifton Rimless WC P PACK	FS1PKWF70	295C1	FS14K3132B	OCEAN		
Clifton Rimless WC P PACK	FS1PKWF71	295C1	FS14C3132B	OCEAN		
CORFOU LORA	FS1PKC72	81343012/TC1	FS14C3132B	MC2		
CORFU S-D	FS1PKC3	81343012/TC1	FS14C3132B	ORLY		
CORFU S-S	FS1PKC29	81343012/TC1	FS14C3132B	MC2		
DADO DISABLED	Néant	FS147212	FS1043132B	MC2		
DADO S	Néant	FS15022000	FS1043132B	MC2		
ELEMENT	FS1PKWC68	238C1	FS14K3132B	OCEAN		

Appendix to the Certificate

Decision of renewal LECI dated 17/04/2024

Range	Commercial reference	WC pan reference	Cistern reference	Reference of toilet seat	REF_BATI	Stop valve ref.
ELEMENT PACK	FS1PKWC96	238C1	FS14K3132B	OCEAN		
ELEMENT WCP	FS1PKWA99	238C1	FS14K3132B	MC2		
ELEMENTS	FS1PKWC67	238C1	FS14C3132B	OCEAN		
ELEMENTS PACK	FS1PKWD03	238C1	FS14C3132B	OCEAN		
ELEMENTS PACK	FS1PKWC97	238C1	FS14C3132B	OCEAN		
ELEMENTS WCP	FS1PKWB89	238C1	FS14C3132B	MC2		
GARDENIA O-S	81340012	216C1	81350012/Q1T1	MC2		
GARDENIA S-D	FS1PKC32	216C1	FS1043132B	ORLY		
GARDENIA S-S	FS1PKC13	216C1	FS1043132B	MC2		
IROISE S-D	FS1PKC56	216C1	FS1043132B	ORLY		
LOLLY	Néant	81343012/TC1	FS14C3132B	MC2		
MALAGA O-S	89201001EE	89201001/110C1	81393012/103T2	MC2		
MALAGA S-D	FS1PKC35	89201001/110C1	FS10F3132B	ORLY		
MALAGA S-H	FS1PKC47	89201001/110C1	FS10F3132B	W10		
MALAGA S-S	FS1PKC25	89201001/110C1	FS10F3132B	MC2		
MARBELLA S-D	FS1PKC41	FS134211	FS1343132B	ORLY		
OXYGEN FORM	FS1PKC42	143	1851	MC2		
PAROS S-D	FS1PKC58	81343012/tc1	FS14C3132B	ORLY		
PAROS S-S	FS1PKC57	81343012/tc1	FS14C3132B	MC2		
SERIFOS	FS1PKC61	FS147212	FS14C3132B	MC2		
SYDNEY	FS1142S101	5BC2W/H		OCEAN		
THERMA S-D	FS1PKC52	81343012/TC1	FS14C3132B	ORLY		
THERMA S-S	FS1PKC51	81343012/TC1	FS14C3132B	MC2		

Appendix to the Certificate

Decision of renewal LECI dated 17/04/2024

Range	Commercial reference	WC pan reference	Cistern reference	Reference of toilet seat	REF_BATI	Stop valve ref.
TOUT MONTE O-S	81343012/202C1	81343012/TC1	81356012/207T2	MC2		
TOUT MONTE S-D	FS1PKC31	81343012/TC1	FS1103132B	ORLY		
TOUT MONTE S-S	FS1PKC14	81343012/TC1	FS1103132B	MC2		
VENEZIA O-S	81343012	81343012/TC1	81356012/207	MC2		
VERONA S-D	FS1PKC39	81343012/TC1	FS14C3132B	ORLY		
VERONA S-S	FS1PKC24	81343012/TC1	FS14C3132B	MC2		
VIENNE S-D	FS1PKC38	81343012/TC1	FS14C3132B	ORLY		
VIENNE S-S	FS1PKC26	81343012/TC1	FS14C3132B	MC2		

Colours

Range	Commercial reference	GC	USURE
BLANC	Néant	Glossy Clear	III
SANICLEAN	Néant	Glossy Clear	III