

# Certificate

## SANITARY APPLIANCES

### Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

**The company**                      **NICOLL**

**ZA LES PRAIRIES - 1 ROUTE DE LA VERPILLIERE**

**FR-38290 FRONTONAS**

**Brand :**                              **NICOLL**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal NICO dated 30/01/2024  
This decision replaces decision NICO dated 19/01/2024

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

## CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

**This certificate comprises 3 pages.**

**Correspondent :**

Alexandra GOSSET  
Tél. : (33) 01 64 68 82 84

Email : alexandra.gosset@cstb.fr

For CSTB

On behalf of the President



Florian RASSE

## Appendix to the Certificate

Decision of renewal NICO dated 30/01/2024

### Equipped flushing cisterns

These products have the minimum characteristics defined in the standard: NF EN 14055; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-14

Range	Commercial reference	Control	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
Néant	9873694 / 9887430	380 / 386 / 389 / 396 / PBRECB / WBCCFB / WBCCFC / WPCDUOB	NICOLL 3V / 9887386	SANIT EB510		9873870
Néant	9873695 / 9887431	380 / 386 / 389 / 396 / PBRECB / WBCCFB / WBCCFC / WPCDUOB	NICOLL / 9887387	SANIT EB510		9873870
Néant	9873696 / 9887432	PB01B / PB02B / PB03B / WPCDUOB	SANIT / AA-INEO-CC-121-2V-2C	SANIT EB510		9873870

### Frame body

These products have the minimum characteristics defined in the standard: NF D 12-208 and into the technical(s) document(s) : DT017-17

Range	Commercial reference	Type of installation	Cistern reference	Control
NICOLL HAPPY SUPPORT	WBS2P	Universel	9873694 / 9887430	380 / 386 / 389 / 396 / PBRECB / WBCCFB / WBCCFC / WPCDUOB
NICOLL HAPPY SUPPORT	WBS2P110	Universel	9873694 / 9887430	380 / 386 / 389 / 396 / PBRECB / WBCCFB / WBCCFC / WPCDUOB
NICOLL HAPPY SUPPORT	WBS2P90	Universel	9873694 / 9887430	380 / 386 / 389 / 396 / PBRECB / WBCCFB / WBCCFC / WPCDUOB

**Appendix to the Certificate**

Decision of renewal NICO dated 30/01/2024

Range	Commercial reference	Type of installation	Cistern reference	Control
NICOLL HAPPY SUPPORT	WBS2PAP	Universel	9873694 / 9887430	380 / 386 / 389 / 396 / PBRECB / WBCCFB / WBCCFC / WPCDUOB
NICOLL HAPPY SUPPORT	WBS2PCO	Universel	9873694 / 9887430	396
SOLEMUR V3	WBS1P	Universel	9873694 / 9887430	380 / 386 / 389 / 396 / PBRECB / WBCCFB / WBCCFC / WPCDUOB
SOLEMUR V3	WBS1PPCAG	Universel	9873694 / 9887430	380 / 386 / 389 / 396 / PBRECB / WBCCFB / WBCCFC / WPCDUOB
SOLEMUR V3	WBS1PAP	Universel	9873694 / 9887430	389
SOLEMUR V3	WBS1PPD	Universel	9873695 / 9887431	380 / 386 / 389 / 396 / PBRECB / WBCCFB / WBCCFC / WPCDUOB
SOLEMUR V3	WBS1PMU	Applique	9873694 / 9887430	380 / 386 / 389 / 396 / PBRECB / WBCCFB / WBCCFC / WPCDUOB
SOLEMUR V3	WBS1PMU110	Applique	9873694 / 9887430	380 / 386 / 389 / 396 / PBRECB / WBCCFB / WBCCFC / WPCDUOB
SOLEMUR V3	WBS1PIN	Universel	9873696 / 9887432	
VIRTUO	WBSA2R	Universel	9873694 / 9887430	