

Certificate

SANITARY APPLIANCES

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company

SIAMP

1 RUE DU GABIAN - IMMEUBLE LE THALES

MC-98001 MONACO

Brand :

SIAMP

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Decision of renewal SIAM dated 10/01/2024
This decision replaces decision SIAM dated 15/12/2023

Except in case of withdrawal, suspension or modification, this certificate is valid.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

This certificate comprises 7 pages.

Correspondent :

Alexandra GOSSET
Tél. : (33) 01 64 68 82 84

Email : alexandra.gosset@cstb.fr

For CSTB

On behalf of the President



Florian RASSE

Appendix to the Certificate

Decision of renewal SIAM dated 10/01/2024

Equipped flushing cisterns

These products have the minimum characteristics defined in the standard: NF EN 14055; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-14

Range	Commercial reference	Control	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
535	34241000	535 / NEW WAVE	SIAMP 536 NF	SIAMP COMPACT 95L		ALBERTO NI - ESIAMPO 2 / ARCO - NF721
536	34247400	YIN YANG/LEMON/MOON/MEDIA/SMARTY/SMART/SMARTY MV1/SMARTMV1/SQUARE/SEGMENT/GLOBE	SIAMP 536 NF	SIAMP COMPACT 95L		ALBERTO NI - ESIAMPO 2 / ARCO - NF721
537	34240600	537 / 537 PC1 ISI / 537 PC2 ISI	SIAMP 536 NF	SIAMP COMPACT 95L		ALBERTO NI - ESIAMPO 2 / ARCO - NF721
DIFFUS BASE QUIETO OD	10007249-3	Smarty,Smart,Smart MVI,Square,Segment,Album 90,Album 360,Reflet 90,Reflet 360,Sphere,Pyramide,Cut,Commande electrique	DIFFUS BASE	QUIETO OD		JL-1400380012129G3/8 - G1/2
INGENIO DIFFUS QUIETO OD	10007249-2	SMARTY/SMART/SMARTY MVI/ SQUARE/SEGMENT/ALBUM 90/ALBUM 360/REFLET 90/REFLET360/ SPHERE/PYRAMID/CUT/COMMANDE ELECTRIQUE	INGENIO FLOW	QUIETO OD		JL-1400380012129G3/8 - G1/2
INGENIO DIFFUS R95L	10007249-1	SMARTY/SMART/SMARTY MVI/ SQUARE/SEGMENT/ALBUM 90/ALBUM 360/REFLET 90/REFLET360/ SPHERE/PYRAMID/CUT/COMMANDE ELECTRIQUE	SIAMP INGENIO FLOW	SIAMP 95M		JL-1400380012129G3/8 - G1/2
INGENIO QUIETO OD/INGENIO	34372101	SMART/SMARTY/ SMART MVI/ SMARTY MVI / SQUARE/ SEGMENT/ ALBUM 90/ ALBUM 360/ REFLET 90/REFLET 360/ SPHERE/PYRAMID/CUT	SIAMP INGENIO	SIAMP QUIETO OD		JL-1400380012129G3/8 - G1/2

Appendix to the Certificate

Decision of renewal SIAM dated 10/01/2024

Range	Commercial reference	Control	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
INGENIO R95L/INGENIO	34372100	SMART/SMARTY/SMART MVI/SMARTY MVI/SQUARE/SEGMENT/ALBUM 90/ALBUM 360/REFLET 90/REFLET360/ SPHERE/PYRAMID/CUT/GLOBE	SIAMP INGENIO	SIAMP 95M		JL-14003800 12129 G3/8 - G1/2
VERSO 350	341544	YIN YANG/LEMON/MOON/MEDIA/SMARTY/SMARTY MVI/SMART/SMART MVI/SQUARE/SEGMENT/ALBUM90/ALBUM360/REFLET90/REFLET360/ADESIO	SIAMP 36E	SIAMP COMPACT 95L		ALBERTO NI - ESIAMPO 2 / ARCO - NF721
VERSO 350 EVO R95L/36 VERSO 350	34154403	YIN YANG/LEMON/MOON/MEDIA/SMARTY/SMARTY MVI/SMART/SMART MVI/SQUARE/SEGMENT/ALBUM90/ALBUM360/REFLET90/REFLET360/ADESIO	SIAMP 36 VERSO 350	SIAMP 95M		ALBERTO NI - ESIAMPO 2 / ARCO - NF721
Verso 350 Pneumatique Gaine Technique	345330	COMMANDE DEPORTEE PNEUMATIQUE	SIAMP 80PNV35 OGTDV	SIAMP 95M		ALBERTO NI - ESIAMPO 2 / ARCO - NF721
Verso 350 R95L 36 VERSO 350	341544	YIN YANG/LEMON/MOON/MEDIA/SMARTY/SMARTY MVI/SMART/SMART MVI/SQUARE/SEGMENT/ALBUM90/ALBUM360/REFLET90/REFLET360/ADESIO	SIAMP 36 VERSO 350	SIAMP 95M		ALBERTO NI - ESIAMPO 2 / ARCO - NF721
VERSO 800 R95L 36 VERSO 800	341204	VERSO 800	SIAMP 36 VERSO 800	SIAMP 95M		ALBERTO NI - ESIAMPO 2 / ARCO - NF721

Frame body

These products have the minimum characteristics defined in the standard: NF D 12-208 and into the technical(s) document(s) : DT017-17

Appendix to the Certificate

Decision of renewal SIAM dated 10/01/2024

Range	Commercial reference	Type of installation	Cistern reference	Control
535 UNIVERSEL PACK	342468	Universel	34 2410 00	535 / NEW WAVE
535 universel piéd T	3424300 0	Universel	34241000	535 / NEW WAVE
536 APPUI COURT PIEDS T	3424720 0	Universel	34247400	YIN YANG/SMARTY/SQUARE
536 MURAL	3424610 0	Applique	34247400	YIN YANG/LEMON/MOON/MEDIA/SMARTY/SMART/SMARTY MV1/SMARTMV1/SQUARE/SEGMENT
536 SOL PIEDS REGLABLES 200 MM	3424000 0	Autoportant	34247400	YIN YANG LEMON MOON MEDIA SMARTY SMART SMARTY MVI SMART MVI SQUARE SEGMENT
536 UNIVERSEL PIEDS T	3424300 1	Universel	34247400	YIN YANG LEMON MOON MEDIA SMARTY SMART SMARTY MVI SMART MVI SQUARE SEGMENT
537 MURAL PACK	34 2464 01	Applique	34 2406 00	537
537 SOL	34 2402 00	Autoportant	34 2406 00 (RESERV OIR 537)	537 / 537 PC1 ISI / 537 PC2 ISI
BCU 535 PACK CORNIERE	34 2467 00	Universel	34 2410 00	535 / NEW WAVE
DIFFUS BASE UNIVERSEL	1000223 6-04	Universel	10007249 -3	Smarty,Smart,Smart MVI,Square,Segment,Album 90,Album 360,Reflet 90,Reflet 360,Sphere,Pyramide,Cut,Commande electrique

Appendix to the Certificate

Decision of renewal SIAM dated 10/01/2024

Range	Commercial reference	Type of installation	Cistern reference	Control
QUIETO OD FCR				
INGENIO UNIVERSEL ESSENTIAL 95L FCR	1000223 6-02	Universel	10007249 -1	Smarty,Smart,Smart MVI,Square,Segment,Album 90,Album 360,Reflet 90,Reflet 360,Sphere,Pyramide,Cut,Commande électrique
INGENIO UNIVERSEL ESSENTIAL QOD FCR	1000223 6-03	Universel	10007249 -2	Smarty,Smart,Smart MVI,Square,Segment,Album 90,Album 360,Reflet 90,Reflet 360,Sphere,Pyramide,Cut,Commande électrique
INGENIO UNIVERSEL FIXATION CUVETTE METAL QUIETO OD	3437010 2	Universel	34372101	Smarty/Smart/Smart Mvi/Square/Segment/Album 90/Album 360/Reflet 90/Reflet 360/Sphere/Pyramide/Cut/Commande électrique
INGENIO UNIVERSEL FIXATION CUVETTE METAL R95L	3437010 0	Universel	34372100	Smarty/Smart/Smart Mvi/Square/Segment/Album 90/Album 360/Reflet 90/Reflet 360/Sphere/Pyramide/Cut/Commande électrique
INGENIO UNIVERSEL FIXATION CUVETTE RAPIDE QUIETOOD	3437010 3	Universel	34372101	Smarty/Smart/Smart Mvi/Square/Segment/Album 90/Album 360/Reflet 90/Reflet 360/Sphere/Pyramide/Cut/Commande électrique
INGENIO UNIVERSEL FIXATION CUVETTE RAPIDE R95L	3437010 1	Universel	34372100	Smarty/Smart/Smart Mvi/Square/Segment/Album 90/Album 360/Reflet 90/Reflet 360/Sphere/Pyramide/Cut/Commande électrique
INGENIO UNIVERSEL PACK COMPACT R95L	3437050 0	Universel	34372100	Smarty/Smart/Smart Mvi/Square/Segment/Album 90/Album 360/Reflet 90/Reflet 360/Sphere/Pyramide/Cut/Commande électrique

Appendix to the Certificate

Decision of renewal SIAM dated 10/01/2024

Range	Commercial reference	Type of installation	Cistern reference	Control
INGENIO UNIVERSEL PREMIUM QOD FCR	1000223 6-01	Universel	10007249 -2	Smarty,Smart,Smart MVI,Square,Segment,Album 90,Album 360,Reflet 90,Reflet 360,Sphere,Pyramide,Cut,Commande électrique
VERSO 350 MURAL	341159	Applique	341544	Yin-Yang/Lemon/Adesio/Moon/Media/Smarty/Smart/Smart Mvi/Square/Segment/Globe/Reflet 90/Reflet 360
VERSO 350 EVO SOL	1000215 4	Autoportant	34 1544 03	Yin-Yang/Lemon/Adesio/Moon/Media/Smarty/Smart/Smart Mvi/Square/Segment/Globe
VERSO 350 EVO UNIVERSEL	1000210 9	Universel	34 1544 03	Yin-Yang/Lemon/Adesio/Moon/Media/Smarty/Smart/Smart Mvi/Square/Segment/Globe
VERSO 350 MURAL	34 115902	Applique	34 1544	YIN YANG/LEMON/MOON/MEDIA/SMARTY/SMART MVI/SMART/SMART MVI/SQUARE/SEGMENT/ALBUM90/ALBUM360/REFLET90/REFLET360/ADESIO
VERSO 350 SOL FIXATION CUVETTE METAL R95L	341157	Autoportant	341544	Yin-Yang/Lemon/Adesio/Moon/Media/Smarty/Smart/Smart Mvi/Square/Segment/Globe/Reflet 90/Reflet 360
VERSO 350 UNIVERSEL	3411580 0	Universel	341544	Yin-Yang/Lemon/Adesio/Moon/Media/Smarty/Smart/Smart Mvi/Square/Segment/Globe/Reflet 90/Reflet 360
VERSO 350GT PNEUMATIQUE UNIVERSEL	3411580 4	Universel	345330	Commande deportee pneumatique
VERSO 800 Mural	341252	Applique	341204	VERSO 800

Appendix to the Certificate

Decision of renewal SIAM dated 10/01/2024

PACK

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D12-101; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-12; DT017-14; DT017-15

Range	Commercial reference	WC pan reference	Cistern reference	Reference of toilet seat	REF_BATI	Stop valve ref.
PACK GRENAT	10 0018 21	6855	34 1544 03	10005177	VERSO 350 UNIVERSEL R95 PIEDS FREINES 10 0021 09	ALBERTONI ESIAMP02 ou ARCO NF721
PACK INGENIO UNIVERSEL	31 2257 11	23570	34 3721 00	10005177	INGENIO UNIVERSEL R95L 34 3701 01	JL 1400380012129
PACK WC SOLIA	10 0010 63	NEO 23570	34 2410 00	Monté Carlo charnière inox réf 45 525207	34 243000	ESIAMP02 / NF721
Pack WC standard PVCP Ingenio EC	31 2760 10	NORMUS 6855	INGENIO QUIETO OD, réf : 34 3721 01	OPIO COLLECTIVITES réf : 47 1056 10	Ingenio universel QUIETO OD réf : 34 3701 03	ESIAMP02 / NF721
PACK WC STD PVCP INGENIO EC SQUARE BLANCHE	31 2762 10	NORMUS 6855	INGENIO QUIETO OD ref 34 3721 01	OPIO COLLECTIVITES 47 1056 10	Ingenio Universel QUIETO OD ref 34 3701 03	ESIAMP02 / NF721