

# Certificat

## Profils plaxés

### Baies, portes, vérandas et accessoires

Le CSTB atteste que les produits mentionnés dans ce certificat sont conformes aux caractéristiques décrites dans le référentiel de certification QB « Profils Revêtus » (QB33) en vigueur après évaluation selon les modalités de contrôle définies dans ce référentiel.

En vertu de la présente décision, le CSTB accorde à :

**la société** **PROFINE France**  
**11, rue Gutleutfeld**  
**ZI – BP 50**  
**FR-67441 MARMOUTIER CEDEX**

**usine :** **PROFINE France**  
**FR-67441 MARMOUTIER CEDEX**

le droit d'usage de la marque QB « Profils Revêtus » pour les produits objets de cette décision, pour toute sa durée de validité et dans les conditions prévues par les exigences générales de la marque QB et le référentiel mentionné ci-dessus.



606A

Décision d'extension n° 1230-606A du 23 avril 2024

Cette décision se substitue à la décision d'extension n° 1226-606A du 11 avril 2024

Le certificat en vigueur peut être consulté sur le site internet <https://evaluation.cstb.fr> pour en vérifier sa validité.

## CARACTÉRISTIQUES CERTIFIÉES

- > Résistance au vieillissement
- > Tenue des couleurs
- > Résistance à l'usage

Ce certificat comporte 4 pages.

Correspondant :

Direction Baies et Vitrages  
[QB33@cstb.fr](mailto:QB33@cstb.fr)

Par déléation  
du Président

Florian RASSE

# Certificate

## Laminated profiles

### Windows, doors, verandas and accessories

CSTB hereby certifies that the above-mentioned product complies with the characteristics described in the certification referencial QB "Covered Profiles" (QB33) in force following an assessment performed according to the inspection procedures set out in this referencial.

By virtue of the present decision, CSTB grants :

**the company** **PROFINE France**  
**11, rue Gutleutfeld**  
**ZI – BP 50**  
**FR-67441 MARMOUTIER CEDEX**

**plant :** **PROFINE France**  
**FR-67441 MARMOUTIER CEDEX**

the right to use the QB mark "Covered Profiles" for products concerned by this decision, throughout its period of validity and under the conditions stipulated under the general requirements of the QB mark and the above-mentioned referencial.



606A

**Decision of extension no. 1230-606A dated 23 April 2024**

**This decision takes the place of the decision of extension no. 1226-606A dated 11 April 2024**

The certificate validity may be checked on the web site <https://evaluation.cstb.fr>.

## CERTIFIED CHARACTERISTICS

- > Weathering resistance
- > Color retaining
- > Usage resistance

This certificate includes 4 pages.

Contact :

Windows and Glazing Department  
[QB33@cstb.fr](mailto:QB33@cstb.fr)

For CSTB  
On behalf of the President



Florian RASSE

**Décision d'extension n° 1230-606A du 23 avril 2024**  
**Decision of extension no. 1230-606A dated 23 April 2024**

<b>DOCUMENTS TECHNIQUES D'APPLICATION (fenêtres) / TECHNICAL APPLICATION DOCUMENTS (windows)</b>
Premiline (6/12-2045) Trocal 76Advanced, KBE 76Advanced, Kömmerling 76Advanced (6/16-2334) Trocal Exclusive, KBE Emotion, Kömmerling Evolution (6/16-2335)
<b>AVIS TECHNIQUES (coffres de volet roulant) / TECHNICAL APPRAISALS (roller shutter box)</b>
VariNova (6/16-2286) e.SPACE (6/19-2401)

Des restrictions de plaxage des profilés peuvent s'appliquer. Celles-ci sont précisées dans le(les) DTA / Avis Technique(s) / Some profiles laminating restrictions may be applied. These are described in the DTA / Technical Appraisals.

<b>GROUPES DE TEINTES / SHADES GROUPS</b>		<b>Systèmes adhésifs / Adhesive systems</b>			
<b>Films / Foils</b>		16206-16104	18225-18119	18225-18120	16206-18123
<b>KONRAD HORNSCHUCH Weissbach (605P)</b>	SKAI COOL COLORS TP50	<u>foncées (dark)</u> : F436-5013 ; F436-6003A ; F436-6023 ; F436-6039 ; F436-6047 ; F436-6048 ; F436-6055 ; F436-6065 <u>Metbrush</u> : F436-1002 ; F436-1004 ; F436-1005			
		-	-	-	<u>bois (wood)</u> : F436-2076
	SKAI WOODEC	-	-	-	<u>bois (wood)</u> : F470-3001
<b>RENOLIT Worms (600P) RENOLIT Cramlington (609P)</b>	EXOFOL PX	<u>claires (light)</u> : 02.20.91.000001-116801 <u>bois (wood)</u> : 4.0131 006 ; 9.2065 321-116700 ; 9.2178 301-116700 ; 9.2178 307-116700 ; 9.3211 305-114800 <u>foncées (dark)</u> : 02.20.01.000002-504700 ; 02.20.31.000003 ; 02.20.51.000001 ; 02.20.61.000002 ; 02.20.71.000001-116700 ; 02.20.71.000007-116700 ; 02.20.71.000009-504700 ; 02.20.81.000010-116700 ; 02.20.81.000018 ; 02.20.81.000030-504700 ; 1.0065 015-341300			
	EXOFOL PFX	-	-	-	<u>bois (wood)</u> : 3.0078.007-102201

Décision d'extension n° 1230-606A du 23 avril 2024  
Decision of extension no. 1230-606A dated 23 April 2024

GROUPES DE TEINTES / SHADES GROUPS		Systèmes adhésifs / Adhesive systems				
Films / Foils		18226-18121	20228-16105	16210-20125	20228-20125	22234-22129
KONRAD HORNSCHUCH Weissbach (605P)	SKAI COOL COLORS TP50	<u>foncées (dark)</u> : F436-5013 ; F436-6003A ; F436-6023 ; F436-6039 ; F436-6047 ; F436-6048 ; F436-6055 ; F436-6065 <u>Metbrush</u> : F436-1002 ; F436-1004 ; F436-1005				
		-	-	<u>bois (wood)</u> : F436-2076		
	SKAI WOODEC	-	-	<u>bois (wood)</u> : F470-3001		-
RENOLIT Worms (600P) RENOLIT Cramlington (609P)	EXOFOL PX	<u>claires (light)</u> : 02.20.91.000001-116801 <u>bois (wood)</u> : 4.0131 006 ; 9.2065 321-116700 ; 9.2178 301-116700 ; 9.2178 307-116700 ; 9.3211 305-114800 <u>foncées (dark)</u> : 02.20.01.000002-504700 ; 02.20.31.000003 ; 02.20.51.000001 ; 02.20.61.000002 ; 02.20.71.000001-116700 ; 02.20.71.000007-116700 ; 02.20.71.000009-504700 ; 02.20.81.000010-116700 ; 02.20.81.000018 ; 02.20.81.000030-504700 ; 1.0065 015-341300				
	EXOFOL PFX	-	-	<u>bois (wood)</u> : 3.0078.007-102201		-