

Certificat

Profils plaxés

Baies, portes, vérandas et accessoires

Le CSTB atteste que les produits mentionnés dans ce certificat sont conformes aux caractéristiques décrites dans le référentiel de certification QB « Profils Revêtus » (QB33) en vigueur après évaluation selon les modalités de contrôle définies dans ce référentiel.

En vertu de la présente décision, le CSTB accorde à :

la société **SPPF**
15, rue de Tours
FR-49300 CHOLET

usine : **SODEPLAX**
12, allée de l'Europe
FR-85200 DOIX

le droit d'usage de la marque QB « Profils Revêtus » pour les produits objets de cette décision, pour toute sa durée de validité et dans les conditions prévues par les exigences générales de la marque QB et le référentiel mentionné ci-dessus.



632A

Décision d'extension n° 1217-632A du 29 février 2024

Cette décision se substitue à la décision d'extension n° 1138-632A du 27 mai 2021

Le certificat en vigueur peut être consulté sur le site internet <https://evaluation.cstb.fr> pour en vérifier sa validité.

CARACTÉRISTIQUES CERTIFIÉES

- > Résistance au vieillissement
- > Tenue des couleurs
- > Résistance à l'usage

Ce certificat comporte 3 pages.

Correspondant :

Direction Baies et Vitrages
QB33@cstb.fr

Par délégation
du Président

Florian RASSE

Certificate

Laminated profiles

Windows, doors, verandas and accessories

CSTB hereby certifies that the above-mentioned products comply with the characteristics described in the certification referential QB "Covered Profiles" (QB33) in force, following an assessment performed according to the inspection procedures set out in this referential.

By virtue of the present decision, CSTB grants :

the company SPPF
15, rue de Tours
FR-49300 CHOLET

plant : SODEPLAX
12, allée de l'Europe
FR-85200 DOIX

the right to use the QB mark "Covered Profiles" for the products concerned by this decision, throughout its period of validity and under the conditions stipulated under the general requirements of the QB mark and the above-mentioned referential.



632A

Decision of extension no. 1217-632A dated 29 February 2024

This decision takes the place of the decision of extension no. 1138-632A dated 27 May 2021

This valid certificate may be checked on the following web site <https://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS


- >Weathering resistance
- >Color retaining
- >Usage resistance

This certificate includes 3 pages.

Contact :

Windows and Glazing Department
QB33@cstb.fr

For CSTB
On behalf of the President



Florian RASSE

Décision d'extension n° 1217-632A du 29 février 2024
Decision of extension no. 1217-632A dated 29 February 2024

AVIS TECHNIQUES (coffres de volet roulant) / TECHNICAL APPRAISALS (roller shutter box)

Thermobloc (6/16-2288)

Stylbloc (6/22-2432)

Optibloc (6/14-2227)

Des restrictions de plaxage des profilés peuvent s'appliquer. Celles-ci sont précisées dans le(les) DTA / Avis Technique(s) / Some profiles laminating restrictions may be applied. These are described in the DTA / Technical Appraisals.

GROUPES DE TEINTES / SHADES GROUPS		Systèmes adhésifs / Adhesive systems
Films / Foils		17223-17116
KONRAD HORNSCHUCH Weissbach (605P)	SKAI COOL COLORS TP50	foncées (dark)
RENOLIT Worms (600P)	EXOFOL MX	bois (wood), foncées (dark)
RENOLIT Cramlington (609P)	EXOFOL PFX	bois (wood)
CELOTEC Sendenhorst (616P)	SPECTRAL	foncées (dark)