

Certificat

Profilés laqués

Baies, portes, vérandas et accessoires

Le CSTB atteste que les produits mentionnés dans ce certificat sont conformes aux caractéristiques décrites dans le référentiel de certification QB « Profilés Revêtus » (QB33) en vigueur après évaluation selon les modalités de contrôle définies dans ce référentiel.

En vertu de la présente décision, le CSTB accorde à :

la société **V-FINISHING**
INDUSTRIEWEG NOORD 1149
BE-3660 OUDSBERGEN

usine : **V-FINISHING**
BE-3660 OUDSBERGEN

le droit d'usage de la marque QB « Profilés Revêtus » pour les produits objets de cette décision, pour toute sa durée de validité et dans les conditions prévues par les exigences générales de la marque QB et le référentiel mentionné ci-dessus.



646A

Décision d'extension n° 1213-646A du 15 janvier 2024

Cette décision se substitue à la décision d'admission n° 1196-646A du 22 mars 2023

Le certificat en vigueur peut être consulté sur le site internet <https://evaluation.cstb.fr> pour en vérifier sa validité.

CARACTÉRISTIQUES CERTIFIÉES


- > Résistance au vieillissement
- > Tenue des couleurs
- > Résistance à l'usage

Ce certificat comporte 3 pages.

Correspondant :

Direction Baies et Vitrages
QB33@cstb.fr

Par délégation
du Président



Florian RASSE

Certificate

Lacquered profiles

Windows, doors, verandas and accessories

CSTB hereby certifies that the above-mentioned products comply with the characteristics described in the certification referential QB "Covered Profiles" (QB33) in force, following an assessment performed according to the inspection procedures set out in this referential.

By virtue of the present decision, CSTB grants :

the company **V-FINISHING**
INDUSTRIEWEG NOORD 1149
BE-3660 OUDSBERGEN

plant : **V-FINISHING**
BE-3660 OUDSBERGEN

the right to use the QB mark "Covered Profiles" for the products concerned by this decision, throughout its period of validity and under the conditions stipulated under the general requirements of the QB mark and the above-mentioned referential.



646A

Decision of extension no. 1213-646A dated 15 January 2024

This decision takes the place of the decision of admission no. 1196-646A dated 22 March 2023

This valid certificate may be checked on the following web site <https://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

- >Weathering resistance
- >Color retaining
- >Usage resistance

This certificate comprises 3 pages.

Contact :

Windows and Glazing Department
QB33@cstb.fr

For CSTB
On behalf of the President



Florian RASSE

Décision d'extension n° 1213-646A du 15 janvier 2024
Decision of extension no. 1213-646A dated 15 January 2024

DOCUMENTS TECHNIQUES D'APPLICATION (fenêtres) / TECHNICAL APPLICATION DOCUMENTS (windows)

DECEUNINCK Plateforme Zendow (6/16-2298)
DECEUNINCK Islide#Neo (6/15-2281)
DECEUNINCK Elegant Infinity # Infinity Thermofibra (6/23-2440)

AVIS TECHNIQUES (coffres de volet roulant) / TECHNICAL APPRAISALS (roller shutter box)

DECEUNINCK Storbox 2.0 (6/16-2309)

Des restrictions de laquage des profilés peuvent s'appliquer. Celles-ci sont précisées dans le(les) DTA / Avis Technique(s) / Some profiles lacquering restrictions may be applied. These are described in the DTA / Technical Appraisals.

PRODUITS DE RECOUVREMENT / COVERING PRODUCTS

CIN CELLIOSE (628P)

DECOROC® S5001

Groupes de teintes certifiés / Certified shade groups

group(e) 1 : beige

group(e) 2 : gris anthracite / anthracite grey

group(e) 3 : rouge / red

group(e) 4 : aluminium

group(e) 5 : médium

group(e) 6 : clair / light

group(e) 7 : foncé / dark